UC-NRLF
B 3 361 285



BIOLOGY
LIBRARY

The Sale will commence at Twelve o'Clock precisely each Day.

THE CELEBRATED

Collection of Shells formed by Mr. H. C. Roeters van Lennep,

Of Twello, near Deventer, Holland.

A CATALOGUE

OF THIS

VALUABLE AND EXTENSIVE COLLECTION

OF

SHELLS,

Being one of the finest ever offered to Public Competition,

AND COMPRISING

A LARGE NUMBER OF EXCEEDINGLY RARE SPECIES,

Some unique, and all in the finest possible condition.

WHICH WILL BE SOLD BY AUCTION, BY

Mr. J. N. EVERTS,

At 75, Parkler House, Twello, near Deventer, Holland,

On TUESDAY, 18th of JULY, 1876, & Five following Days.

At Twelve o'Clock precisely each Day.

May be viewed the Day Prior, and on the Mornings of Sale. Catalogues to be had of G. B. Sowerby, 45, Great Russell Street, London.

T. Pettitt & Co., Printers, &c., 23, Frith Street, Soho, London, W.

QL 406
L4
BIOLOGY
LIBRARY

PREFACE.

This magnificent Collection of Shells, formed by Mr. H. C. Roeters van Lennep, is one of the largest and richest in Europe.

For many years the proprietor has spared neither pains nor expense to obtain the finest specimens of every species from the commonest to the rarest in all the families and genera, both of Land Shells and Marine. And while among the favorite genera *Conus*, *Cyprœa*, *Voluta*, *Mitra*, *Murex*, *&c.*, are to be found some of the finest and most costly Shells, the bivalves, particularly the *Pectens* and *Spondyli* are deserving of great praise. The collection is also rich in Land Shells, *Helicidæ*, *Cyclostomidæ*, and in all the small genera of operculata and inoperculata.

The collection consists of about 9 000 species, named with great care, and with very few exceptions the specimens representing this large number of species are in the most perfect and exquisite condition.

PREFACE.

La grande et précieuse collection de coquilles dont nous offrons le catalogue détaillé, est de trop grande renommée pour qu 'il soit necessaire d'en faire un éloge pompeux.

Nous nous contenterons de dire que dupis quarante ans Monsieur Herman Roeters van Lennep, de Twello, Holland, à fondé ce riche musée qui peut être placé au nombre des meilleurs de ce genre.

De nombreux voyages et de continuelles améliorations ont permis au fondateur de réunir les plus belles et les plus riches coquilles, dont plusieurs sont uniques.

Tous les connaisseurs et amateurs qui ont visité ce riche musée ont été frappés par la beauté des exemplaires.

Le grand nombre d'espèces (9,000) determiné avec soin, ainsi que le choix des exemplaires disent assez le travail et les soins qu'a du apporter le foundateur pour former une si grandiose collection.

A CATALOGUE.

On TUESDAY, the 18th day of JULY, 1876,

At Twelve o'clock precisely.

LOT

1 Purpura Rudolphi, bicostalis, chocolata, attenuata 2, diadema 2, cataracta, saxicola, hystrix, echinata, squamosa, hœmastoma and floridana

2 Purpura persica, patula, succincta, textilosa, speciosa, undata, muricina, melones, mancinella, fuscata, echinulata and harpa

3 Purpura haustrum, inerma, intermedia, ægrota, biserialis, deltoidea, emarginata, persica, Rudolphi, armigera, pica and bitubercularis

4 Purpura aculeata, consul, Savignyi, aperta, bufo, francolina, serta, sicula, undata and another

5 Purpura assencionensis, callosa, neritoidea, hæmastoma, sertum, situla, echinata, buccinea, crispata, biserialis, mancinella, hystrix, Bronnii, clavigera, tumulosa and 2 species

6 Purpura planospira, neritoidea, aperta, callosa, pica, bitubercularis, melones, trochlea, hippocastrum, mancinella, hystrix, undata, lapillus, armigera, blainvillei, patula, alveolata, carolinensis, callagoensis & muricina

M90606

7 Ricinula clathrata 2, digitata 3, miticula, albolabris 3, arachnoides 8, horrida 4, aspera 2, musiva, rosea, alveolata 4, fiscella, turbinella, mutica, trifasciata 2, bicatenata, Reeveana, chrysostoma 3, porphyrostoma 2, tuberculata 2, siderea 2, marginalba 4, nov. species 2, Engina lineata, recurva, astricta, and armillala 2

8 Ricinula iodostoma 2, lata 2, elongata 2, morus 2, pulchra 3, and concatenata 3

9 *Chorus giganteus, Belcheri and xanthostoma*, all fine

10 Concholepas peruvianus, oblongus 2, and Magilus antiquus

11 Buccinum maculatum, testudineum, porcatum, lineolatum, dirum, costatum 2, alveolatum 2, maculosum 2, lagenarum 3, intinctum, limbosum, papyraceum 2, and anglicanum 2

12 Ranella ventricosa, costata, tuberculata, gyrina 3, lituberculatis, and lævigata 2

13 *Clea nigricans, Truncaria modesta, Macron lividus, Amphissa corrugata, and Volutharpa bullata*, rare

14 Ranella nitida 2, triquetra 2, caudata, hastata 2, anceps, pyramidalis and cuspidata

15 Ranella siphonata 2, venustula, rhodostoma, cruentata 2, tuberoissima, rugosa, pusilla 2, rosea 2, and pygmosa

16 Ranella ponderosa and affinis (both with opercula), and bufonia variety, with black mouth

17 Bullia gradata, annulata, callosa 2, lævigata 2, vittata 2, turrita 9, tranquebarica 2, and malabarica 2

18 Bullia Gravi, rhodostoma, armata, polita, tenuis, Belangeri, Mauritiana, semiusta, semiflammea, elegans, Cumingiana, lavida, digitalis and semiplicata

19 *Northia serrata*, rare and fine

20 Phos senticosus 3, variety 7, citharella 3, variety 6, nodicostatus, ligatus, pallida, Blainvillei 2, and guadeloupensis 2, all fine

21 Nassaria nodicostata, recurva 2, bitubercularis 2, Cyllene lyrata 2, ditto variety, and fuscata 2, a good lot

22 *Desmoulea abbreviata, retusa* 2, *pinguis, and pyramidata*

23 Eburna canaliculata, lutosa 2, areolata, japonica, zeylanica, and ambulacrum

24 Eburna *semipicta, borneensis*, lutosa 2, zeylanica, and japonica, the two first very rare

25 Triton fuscformis, Africanus, vestitus, Pfeifferianus 2, corrugatus, ægrotus 2, sinensis 2, and elongatus

26 Triton tripus 2, sarcostoma 2, Waterhousei, tuberosus 3, trilineatus retusus 2, cutaceus, dolaris, & moritinctus

27 Triton Chemnitzii, cynocephalus 2, exaratus, tuberosus 2, cutaceus, doliarius, clavator 2, exilis 2, and canaliferus 2

28 Triton lignarius, ficoides 2, subdistortus, amictus, vespaceus 2, thersites, Kleinii 2, and olearium

29 Triton grandimaculatus, lotorium, aquatilis, pilearis, pyrum, olearium, and Spengleri, all large fine shells

30 Murex ternispina 2, and tenuispina, all very fine

31 Chorus *giganteus*, and *Belcheri*, very fine

32 *Monoceros grande*, a very rare shell

33 Monoceros imbricatum, muricatum, cingulatum, glabratum, citrinum, punctatum, striatum, engonatum 2, and lugubre, fine

34 Haliotis splendens, midæ, discus, and rufescens, all fine

35 Murex pliciferus, concinnus, nodatus, and similis

36 *Ranella candisata*, large and fine, a very rare shell

37 Harpa imperialis variety, a lovely coloured shell

38 Tellina rastellum 2, Spengleri, interrupta, virgata 6, punicea 2, rubescens, and Tayloriana

39 Triton *tigrinus*, large and fine, and T. olearium

40 Monoceros brevidentatum, striatum, unicarinatum, citrinum, cingulatum, imbricatum, and lugubre

41 Triton Australis and olearium, with their opercula, both very fine

42 *Conus Victortiæ*, a fine shell

43 Ficus reticulatus, decussatus, dussumieri, ficoides, and lævigatus

44 Haliotis corrugata, midæ, rufescens, and discus

45 Tellina Cumingii, Antonii, exculta, picta 2, crucigera, rostrata, and striata 2, a fine lot

46 Tellina jubar 2, rastellum 2, staurella 4, virgata 6, interrupta, marginalis 2, tenuilirata 2, and incerta 5

47 Persona ridens and cancellina, both large and fine; Lagena cingulata and clandestina

48 Argobuccinum scaber and rude, Persona cancellina 2, anus 2, Cubestana gibbosa, Triton quoyi 2, & eburneus

49 Epidromus maculosus, very large; Lagena cingulata and clandestina, large and fine

50 Epidromus maculosus 2, Sowerbyi, testaceus, distortus 3, digitalis 2, recticulatus 2, bracteatus, and truncatus 2

51 Epidromus clathratus, Ceylonensis, comptus, eximius, nitidulus, tortuosus, pygmæus 2, and nov. species

52 Purpura rarelineata, bimaculata, luteostoma, cingulata, floridana and columellaris, a fine lot

53 Murex cornutus 2, Martinianus 2, crassispina 2, and rarispina 2, all fine

54 Monoceros tuberculatum, cingulatum, imbricatum, crassilabrum, calcar, costatum and globulus

55 Concholepas peruvianus and oblongus, rare, large and fine

56 Ranella crassa, buffonia variety, lævigata, bitubercularis, tuberculata, and gyrina variety 3

57 *Zemira Australis, Eburna papillaris and E. Valentiana*

58 Buccinopsis dalei, a very rare shell

59 *Ranella candisata*, rare and fine

60 Conus suratensis and papilionaceus, both large and fine

61 Cardium pseudolima and elatum, both large and fine

62 Triton grandimaculatus, sauliæ, aquatilis, pilearis, pyrum, olearium and Spengleri, all large and fine

63 Tellina pulcherrima, Deshayesii, crassiplicata, verrucosa, planissima 2, and staurella 5, a choice lot

64 Cabestana gibbosa, labiosa, Triton sculptilis, convolutus Epidromus Cumingii, decollatus, tessellatus, decapitatus 2, and lanceolatus, 3

65 Murex plicatus, aduncospinosus, nigrispinosus, and others

66 Ranella leucostoma, albivaricosa, spinosa, argus 2, crumena 2, and subgranosa, 2

67 Ranella reticularis, spinosa, and subgranosa, all large

68 Banella reticularis, albivaricosa, subgranosa 2, vexillum, and Californica

69 Ranella, a species from South Africa, like the Australian *leucostoma*, but with black teeth, and R. nobilis

70 *Ranella pustulosa*, rare, a remarkable size

71 Ranella foliata, elegans, crumena 2, livida 3, margaritula 3, affinis 4, granifera 3, and 1 other

72 *Ranella perca*, a gem

73 Pteroceras seba, and truncata, with young

74 Pteroceras seba, Triton nodiferus, tritonis, femorale, lampas, and variety, with orange mouth, all large and fine

75 Triton tritonis 2, femorale, lampas 3, and variety, and Pteroceras seba

76 *Stramontia armigera*, a finely developed shell

77 *Ricinula clathrata*, very large and fine

78 *Stramontia gigantea*, a splendid shell

79 *Pseudoliva plumbea* and *Kellettii*, both very rare

80 Pinnaxia coronata, Vexilla taniata 2, lineata, and vexillum 2

81 Cuma angulifera, tectum 2, Purpura carnifera, imperialis, kioskiformis, trigona, sacellum, and Orbignyi, a fine lot

82 Purpura kioskiformis, trigona, Orbignyi, sacellum, carnifera 2, and imperialis

83 Rapana bezoa, bulbosa, Sieboldii, squamosa 2, bispinosa, coronata and rapiformis variety

84 Rapana Thomasii, squamosa, bispinosa, rapiformis and Magilus antiquus, a fine lot

85 Rapana galeodes 2, angulata 2, anomala 2, coronata 2, bulbosa 2, bezoar and rapiformis variety

86 *Magilus antiquus*, a fine group of three, on Madrepore

87 Magilus microcephalus (Sowerby), *type specimen figured in Conchologia iconica*

88 *Separatista Chemnitzii, Grayi* 2, *and Melapium lineatum*

89 Septoconchus serratus, Lamarkii, Cumingii, globulosa, ellipticus, Robillardi 2, and 1 species

90 Rapa papyracea, a fine lot, six varieties

91 Rapa papyracea, five varieties

92 *Melapium lineatum, Rhizocheilus antipathum*, Coralliophila bulbosa 2, squamulosa 2, Orbignyana, nux, nivea and species?

93 Coralliophila costata 2, costularis 2, canthrainei 2, galea, coronata, madreporarum, violacea 3, and nov. species

94 *Latiaxis mawæ and Coralliophila benæiti*, both rare shells

95 *Latiaxis tortilis*, a very rare shell, and L. nodosa 2, also rare

96 Oliva, a tray of 34 species, all named by Mr. Marrat

97 Oliva porphyria, sericea and ponderosa, large and in fine condition

98 Olivancillaria Braziliana 2, coniformis 2, nana 2, utricula, gibbosa 5, Lintricula vesica, acuminata 2, subulata 2, Oliva guttula 3, obesina, violacea, jaspidea, todosina, and Peruviana 2

99 Agaronia steeriæ, testacea, hiatula 3, pallida, Oliva julieta, Peruviana 2, guttula 12, in 4 varieties; viridescens 8, gibbosa 7, maura 4, and bulbosa 6

100 Oliva, 3 rare varieties of guttula, 2 of subulata 4, acuminata 2, viridescens 12, porphyritica 2, and ponderosa

101 Oliva Zelanica, literata, holoserica 2, elegans 8, infrenata 6, irisans 3, sericea 5, tremulina 3, porphyritica, 3 varieties; pica 4, and incrassata variety, a fine lot

102 Oliva tremulina variety 2, nobilis 2, sericea 5, incrassata 2, porphyria 2, bulbosa 7 varieties, labradorensis 3, bulbiformis 2, and maura 9

103 Oliva ispidula variety, flaveola, candida, cœrulea 3, propinqua, ustulata 2, fuscata 2, brunnea 2, oriola 2, emicator 17, olivacea 4, and ispida 4

104 Oliva sericea, bulbosa 6 varieties, leucostoma 5, ispida 12, Melchersi 5, cœrulea 8, olivacea 7, ispidula 30, Mauritiana 9, rare banded ispidula and olivacea

105 Oliva masaris 2, calasoma, Cumingi, scripta 2, splendidula 2, lignaria 2, angustata, marmorea & harpularia, a rare lot

106 Oliva ornata 2, cylindrica, similis, graphica 3, venulata 3, punctata 3, mercatoria 2, bulbiformis 2, glandiformis and fine ispidula

107 Oliva and Triton, various

108 Ancillaria cigulata, a splendid shell

109 Ancillaria Tankervillii, rare and fine

110 *Dipsaccus Lienardi, glabrata* 3, *nivea* 2, *balteata* 2, *and Anaulax rubiginosus*

111 *Ancillaria similis and elongata*, both rare

112 Amalda marginata, Dipsaccus Lienardi, balteata, glabrata 2, and Anaulax obtusa, a gem

113 Ancillaria Mauritiana 2 varieties, castanea 4, ventricosa 2, acuminata 2, ampla, albisulcata 2, cyprea 2, and Anaulax Montrouzieri 2

114 Ancillaria ventricosa 4, two varieties, castanea 3, ampla 3, acuminata 2, cyprea 2, and albisulata

115 Anaulax obtusa, with operculum, fine; mucronata, Australis, pyramidalis, oblonga, obesa, Tronsoni, striolata, ovalis 2, and eburnea 3, a rare lot

116 Turbinella (Latirus) recurvirostra, nodata, polygona, candelabrum and lyrata, all choice shells

117 Turbinella (Latirus) nodata, candelabrum, polygona, gracilis, and craticulata 2

118 Turbinella (Latirus) cerata, castanea, vexillum, filosa, Mulleri, lanceolata 2, and turrita 5

119 Turbinella (Latirus) Barclayi, cerata variety, picta, leucozonica, globulus, and smaragdina 3

120 Turbinella (Latirus) *prismatica, acuminata,* and *Rapana nov. species*

121 Turbinella (Latirus) infundibulum, polygona, sanguiflua and spadicea, all large and fine

122 Turbinella (Leucozonia) cingulifera, Knorrii, rudis, triserialis 2, angularis, Belcheri, Australiensis and spinosa

123 Turbinella (Leucozonia) ocellata, Cecilli, scabrosa, Caledonica, spinosa, Australiensis, rudis 2, angularis, Knorrii and cingulifera

124 Turbinella (Peristernia) crocea, bella 2, gemmata 2, stigmataria 2, ustulata 2, incarnata 2, squamosa, scalarina, crenulata 2, Carolina, marquesasana 2, and nassatula 2

125 Vermetus lumbricalis, Siliquaria anguina and Australis, large and fine

126 Vermetus indicus, Siphonium ater, gigas, effusum, Siliquaria sipho 5, and arenarium 5

127 Vermetus Korrii, bicarinatus 4, Siphonium gigas, angulatum 2, and dentiferum 2

128 Siphonium ater, decussatum 3, muricatum 4, Siliquaria squamata 4, and 3 other species

129 Pleurotoma gibbosa, fascialis, cingulifera, albina, tigrina and variety, marmorata and Babylonia

130 Pleurotoma grandis, undosa and cryptorraphe, large and fine

131 Pleurotoma grandis, Australis, virgo and tornata

132 Pleurotoma javana, carinata, nodulifera, cingulifera and facialis, all fine

133 Pleurotoma tornata, oxytropis, variegata, albina, corrugata and flavidula, all fine

134 Pleurotoma gibbosa, maura, olivacea, crenularis, zonata and funiculata

135 Pleurotoma spectabilis, Garmonsii, flavidula 2, virgo, tigrina and variety

136 Pleurotoma tenuis, stolida, Australis, Babylonia, et. variety, marmorata 2, and maculosa

137 Pleurotoma (Clavatula) imperialis, bimarginata, spirata 2, Tomelia taxis and lineata

138 Pleurotoma (Clavatula) imperialis, spirata, Daphnella Cumingii, patula, and Drillia strigata

139 Pleurotoma (Clavatula) obesa, spirata, Genota mitræformis, papalis, Daphnella robillardi, Cumingii, lymnæformis and Tomella lineata, a good lot

140 Pleurotoma (Clavus) echinata 2, livida 2, muricata 2, unizonalis 2, exasparata 2, unimaculata and alabaster

141 Pleurotoma abbreviata, tuberculata, gemmata, suturalis, eximia, diadema, gravis, jubata and punctata, a rare lot

142 Pleurotoma (Drillia) quoyi, bilineata 2, bijubata 2, interrupta, lanceolata, pyramidata 2, striolata 2, lineata 2, luctuosa 3, clava 2, nigerrima, stromboides, sinensis, strigillata, Beckii, albicostata 2, and cincta 2

143 Pleurotoma (Crassispira) collosa, rudis, vidua, cantharus, crassilabrum, flavescens, harpula, nigrescens, retusa, zebra 2, digitalis 2, discors 2, pica, pulchella, rubida 2, and diadema 2

144 Mangelia, Defrancia and Bela, 33 named species

145 *Harpa imperialis*, fine

146 Harpa conoidalis and ventricosa, very fine

147 Harpa crenata, articulata, nobilis, ventricosa, and conoidalis 2

148 Harpa *rosea, cabriti*, articulata, and minor 2

149 Harpa conoidalis 2 varieties, ventricosa 2 varieties, nobilis and articulata

150 Harpa *rosea*, articulata, minor, nobilis and ventricosa

151 Harpa *rosea* 2, minor 3, solida 2, conoidalis, fine, and ventricosa, richly coloured

152 Cassis *exarata*. fimbriata and rare variety, achatina and fine inflata

153 Cassis plicata, fimbriata, rare variety of testiculus, tenuis and spinosa, all fine

154 Cassis Coronadoi (Crosse Journal de Conch, 1867), only one other specimen known

155 Cassis plicata, achatina, inflata, testiculus 2, areolata, fine ; saburon, and coronulata 2

156 Cassis pyrum 2, torquata 3, decussata 2, vibex 3, and a fine variety, and *coronulata*, a fine lot

157 Cassis japonica 2, Zeylanica 2, areola 2, undata, semigranosa, abbreviata, cicatricosa, paucirugis, bisulcata 2, turgida 2, saburon 2, pila, canaliculata 2, & erinacea 6

158 *Cassis coarctatus and Sconsia straita*, fine

159 Sconsia striata, Cassidaria tyrrhena and echinophora, very large and fine

160 Cassidaria tyrrhena, fine; echinophora and variety, and Oniscia cancellata

161 Oniscia Dennisoni, a great rarity

162 Oniscia cancellata, oniscus, Lamarkii 2, and tuberculosa 2, all in fine order

163 Cassis flammea, tuberosa, cornuta 2, rufa 2, pulla 2, and sulcosa 3, all nice cabinet specimens

164 Dolium variegatum, very large, and in fine condition

165 Dolium melanostoma, a splendid shell

166 Dolium ampullaceum, very fine ; Cumingii, chinense, zonatum, Malea pomum and white variety

167 Dolium chinense, galea, perdix, maculatum & olearium, all fine

168 Dolium luteostoma, maculatum 2, costatum 2, minjac 2, and fasciatum 2

169 Malea ringens and Dolium galea, large shells

170 Ficus *gracilis*, Dussumieri, ficoides 2, lævigata 3, and reticulata 2, a fine lot

171 Sigaretus concavus 2, neritoideus, haliotoideus, Martinianus 2, javanicus 2, lævigatus and depressus

172 Sigaretus Leachii 2, perspectivus 2, zonalis 2, incisus 2, planulatus 3, unifasciatus 2, and cuvierianus

173 Naticina Lamarkiana, papillosa, Cryptocella nigra 2, Marsenia Berghii 2, and Lamellaria perspicua 2

174 *Velutina Mulleri*, rare; *haliotoides, capuloides and lævigata, Amaura fragilis and japonica*, a rare lot

175 *Natica campeachensis and heros*, both large and fine

176 Natica reclusiana, delessertiana, Chemnitzii 2, orientalis 2, unifasciata 2, rufa 2, Lamarkii 2, petiveriana, glauca, olla, and albumen 2

177 Natica canrena 2, maculata 2, vitellus 5, millepunctata 2, and lineata 2

178 Natica fulminea 6, in 3 varieties; canrena variety 2, spadicea, helvacea 2, zebra 2, javanica 3, Forskalii 2, chinensis 2, albula 2, Colliei 2, aurita 3, and tincturata

179 Natica *Powisiana, sulcata* 3, *Raynaldiana* 3, fulminea variety, collaria, *Taslei, Jukesii, alabaster, ianthostoma*, a rare and fine lot

180 Natica gambiæ 5, Marochiensis 3, olivacea 3, alapapilionis 2, plumbea 2, lupinus 3, cinamonea 3, Pritchardi, Dilwynii, clausa, borealis 4, nitida 5, and 3 species

181 Natica (Cernina) fluctuata, Mamma Cumingii, aurantia, conica, pyriformis 2, mamilla 2, and mamillaris 2

182 Natica (Mamma) Hwassii, Draparnandi, violacea, Flemingiana, conica 2, uberina 2, Ruma priamus 2, Zanzibarica 2, simiæ, maura 2, and Melanostomoides melanostoma 3

183 Pterocera chiragra 2, and 1 junr., a series of P. lambis in different stages of growth, 9, millepeda 2, rugosa and elongata

184 Pterocera elongata, rugosa with operc., scorpio 2, chiragra 2, and 1 junr., and lambis 5

185 *Pterocera multipes* with operculum, & P. aurantia variety

186 *Pterocera multipes* with operculum, a beauty

187 *Pterocera pseudo-scorpio*, very rare and fine

188 Pterocera aurantia and nov. species, in fine condition

189 Aporrhais occidentalis, pescarbonis 2, aldrovanus 2, and Struthiolaria scutulata

190 Struthiolaria, Struthio-cameli 2, scutulata, & Australis 2

191 *Priamus stercus-pulicum*, very large and perfect

192 Terebellum subulatum 2, & punctatum, remarkably fine shells

193 Aporrhais aldrovanus 3, Terebellum subulatum, and punctatum 10, in 6 varieties

194 Turbinella scolymus and rapa, both large and fine

195 Turbinella gravis or napus, and ovoidea, fine

196 Turbinella rapa, pyrum 2, Tudicla spirillus 2, Turbinella gibbula 2, Scolymus armatus, ceramicus 2, and cæstus, all fine

197 Scolymus imperialis, cassidiformis, rhinoceros 2, muricatus, turbinellus 2, and capitellum 3

198 Busycon aruanum, canaliculatum, spiratum, and perversum 2

199 Fasciolaria princeps with operculum, ponderosa and trapezium

200 Fasciolaria granosa, clava, tulipa 2, salmo and inermis, all fine

201 *Fasciolaria Scheepmakeri*, very fine

202 Ditto

203 Fasciolaria clava, distans, ponderosa, filamentosa 2, princeps, tarentina, lugucris, trapezium 3, & ponderosa

204 Pusionella grandis (Bullia valida, Dkr. figured Novitates, pl. 10), P. nifat, rapulum 2, aculieformis 2, & buccinata, a rare and fine lot

205 Solarium maximum 3, perspectivum 3, quadriceps 2, perspectivum variety 5, and peredix 2, fine shells, a beautiful lot

206 Solarium trochleare, large and fine; purpuratum 2, modestum 7, verrucosum, granulatum 2, lævigatum, placentula, hybridum 3, cingulum and oxytropis, a rare lot

207 Solarium trochoides 2, cylindraceum, perspectiviunculum 3 varieties, 6; luteum, stramineum, dorsuosum 2, and infundibuliforme 2

208 Terebra oculata, maculata, muscaria, subulata and crenulata, all large and fine

209 Terebra robusta, strigata, dimidiata 2, senegalensis 2, and crenulata 2

210 Terebra flammea, Loroisii, Dussumieri 2, duplicata variety, and myuros, a fine lot

211 Terebra fimbriata, senegalensis 2 varieties, chlorata 2, cœrulescens 2, nimbosa 2, duplicata 2, & consobrina 2

212 Terebra consobrina 2, raphanula 2, nebulosa 3, Lamarkii 4, and myuros 2 varieties, 3

213 Terebra variegata, Babylonia 2, argus 2, cingulifera 2, cerithina 2, affinis, luctuosa 2, and lævigata 3

214 Terebra lanceata 2, strigillata 2, cancellata, undulata 3, monile 2, inconstans, anomala 2 varieties, 6; myuros 2, and Lamarkii 4

215 Terebra armillata, rudis, serotina 2, Traillii, lævigata 2, thiarella, breviuscula, bacillus 2, venosa, affinis 4, in 2 varieties; albula, and radula 2

216 Terebra torquata, ustulata, stylata, albicostata, albocincta 2, difficilis, bicolor 2, exigua, hastata, funiculata, frigata 2, nigrescens 4, aciculata 5, Cumingii, lepida 3, and micans 4

217 Therebra *pertusa, pura, prælonga*, all rare and fine

218 Therebra *triserialis, corrugata, straminea and eximia*, all rare and fine

219 Therebra Bernardii, Gouldii, plicatella 2, plumbea, albo-maginata 2, longiscata, Crossei, apicina, cinerea 2, Swainsoni, amœna, Souleyeti and gemmulata

220 Therebra oculata, strigata, tigrina 2, maculata 2, dimidiata 2, crenulata, dimidiata variety 2, muscaria 2, and subulata 2

221 *Cryptobia heteropsamiarum and Michelini*, two very rare shells

222 Magilus macrocephalus (Sowerby), this, and the other specimen in this collection, are probably all that are at present known

223 MITRA BELCHERI, a splendid specimen of this very rare species

224 *Mitra Swainsoni*, very rare

225 Mitra terebralis, ditto

226 MITRA MORCHI, ditto

227 *Mitra Lamarkii*, very rare (Reeve sp. 22)

228 Mitra tessellata and terebralis

229 *Mitra gigantea* and Isabella

230 *Mitra nivea* (Reeve sp. 41) and Isabella (Reeve sp. 42)

231 Mitra declivis? glabra (Reeve 43) and lens (Reeve 1), all fine

232 Mitra serpentina 2, crenifera 2, gracilis? and floccata, all fine

233 Mitra ambigua 2, fulva 5, millepora 2, adusta 3, cardinalis 2, and sphærulata 2

234 Mitra scabriuscula, stigmataria 5, ignea 4, filosa 4, circulata, puncticulata 3, and pontificalis 3

235 Mitra papalis, episcopalis, large; cardinalis 2, and adusta 2

236 Mitra episcopalis and papalis, large and fine

237 Mitra angulosa, *cancellata*, very rare; nodulosa, stigmataria, sphœrulata 2, and variety 1, a good lot

238 Mitra tigrina, ignobilis, Layardi, sanguisuga, curvilirata rubiginea, all fine

239 Mitra pigra, variabilis, astricta, funiculata, albifasciata, oleacea, flammigera, rubiginosa, luctuosa, dichroa, rhodia, and ericea 2

240 *Mitra vittata and regina*, beautiful shells

241 *Mitra regina and compressa*

242 *Mitra compressa* and melongena, both wonderfully fine

243 Mitra *pullata*, and regina 2

244 *Mitra tæniata*, a gem

245 *Mitra Dennisoni*, very rare

246 Mitra balteolata 2, lyrata 2, subulata 2, and polita 2, all large and fine

247 Mitra fissurata, casta, ferruginea 2, chilensis 2, intermedia, costeuaris 2, cinctella 3, vulpecula 7, and caffra 4

248 Mitra *microstoma* (type), *semiconica* (type unique), *semiplicata, speciosa, Jukesii and clathrata*

249 Mitra ustulata 2, cornea, lactea, cylindracea, procissa, aurantia 2, and chrysostoma

250 Mitra nigra, amphorella, crassa, plicata 6, corrugata 4, and vulpecula 5

251 Mitra pyramidalis, amphorella, variegata, versicolor, nebulosa and fulgurita

252 Mitra intermedia, fissurata, casta, chrysostoma, vulpecula, rare variety, and acuminata, all choice shells

253 Mitra aurora, umbonata, planilirata, muriculata, literata, pisolina, todilla, consanguinea 3, spadicea 3, analogica, pica and simplex

254 Mitra tricolor 3, unifasciata 2, capensis 2, Savignyi 4, cavea, microzonias 3, bilineata, vincta 3, patula, cinnamonea 3, puella 3, reosea 2, and mediomaculata 2

255 *Mitra dibaphæformis*, a remarkable shell from Mauritius, upon which Mr. H. Adams proposed to found genus "*Mauritia*"

256 *Dibaphus edentulus*, a rare shell from Mauritius

257 Mitra pretiosa, flammea 3, phorphyretica, tuberosa 2, tuberculata, cucumeriana 2, vexillum, nucleola, zelotypa and Defrancii

258 Mitra guttata, turben, eximia, modesta, tabanula 2 and variety, ticaonica, peregra 3, chrysalis 2, retusa 2, and Adansoni

259 Mitra annulata 3, rotundilirata, ficulina, limbifera, flavescens, affinis, fraga, grænlandica 2, interlirata 2, texturata 3, foveolata, and species 3

260 Mitra paupercula 3, scutulata 3, acuminata 2, ebenus 2, suluensis 2, alauda 2, crebrelirata 2, exasperata 2, torulosa 4, obeliscus 2, and cadaverosa 2

261 Mitra crenulata 3, mucronata 2, semifaciata 2, arenosa 3, radians, fusiformis, coronata 2, strigata and pellis-serpentis

262 Mitra Grelloisi, brumalis, corbicula, crocata, bella, ocellata, Dohrnii, ebenus and clathrata, all fine

263 *Mitra decurtata, tristis, Gruneri* 2, *Deshayesii, rigida, nitens, judæorum and Ruppellii*

264 *Mitra Woldemarii, columbellæformis and robusta,* all rare

265 *Mitra Ziervogeliana,* very rare

266 Mitra (Cylindra) undulosa, crenulata 2, sinensis, fenestrata, and glans, 2

267 Mitra (Cylindra) obesa 2, dactylus 2, nucea 3, olivæformis, and filum 2

268 Mitra (Imbricaria) conus 2, conica 3, ossea and carbonacea

269 Conus nocturnus 2, bandanus 2, distans 2, marmoreus 2, and arachnoideus

270 *Conus vidua,* marmoreus variety, deburghiæ 2, and bandanus 2

271 Conus bandanus, distans, marmoreus and nicobaricus, all fine

272 Conus Ceylonicus 2, pulicarius 2, nocturnus and bandadus, very large and fine

273 Conus Vautieri, fine; rare variety of pulicarius, and bandanus 2

274 Conus Ceylonicus, pulicarius variety, imperialis 2, and fuscatus

275 Conus imperialis 2 varieties, fuscatus 2, brunneus 2, and princeps

276 Conus zonatus, large and fine

277 Ditto

278 Conus princeps, a splendid specimen

279 Ditto, large and fine

280 Ditto variety, ditto

281 Conus Stainforthii (*C. moluccensis*), a fine specimen of this extremely rare shell

282 *Conus leucostictus*, very fine, a rare shell

283 Conus d'Orbignyi, very rare

284 Conus aurantius and leucostictus, large and fine

285 Conus aurantius and piperatus, very fine

286 Conus aurantius, leucostictus, varius 4, and hebræus 4

287 Conus Cedonulli, a splendid shell of variety 46 f. of Reeve

288 Conus Cedonulli, a fine dark form

289 Conus Cedonulli, remarkably fine

290 *Conus Cedonulli*, a fine shell

291 *Conus Cedonulli*, a pretty variety

292 *Conus Cedonulli*, small

293 Conus varius, hebræus, viridulus 2, lividus, sulcatus, pontificalis 2, scaber, barbadensis, aristophanes, and citrinus 2

294 Conus mindanus variety, granosus, tæniatus 2, cardinalis, gladiator, bullatus, encaustus, recluzianus, nanus, unicolor and mindanus

295 Conus rivularis 2, tæniatus 2, bæticus 4, minimus 3 varieties, mus 3, miliaris 3, abbreviatus, vermiculatus 2, pigmentatus, tenuisulcatus, ceylanensis, and sponsalis 3

296 Conus sponsalis 2, granifer 2, crepusculum, acutangulus 2, verrucosus 2, maculatus 2, Moreleti, musicus 2, echinulatus 4, and mindanus variety 5

297 Conus maldivus 2, arenatus 2, generalis 2, monile 4, amadis, daucus 2, amadis variety 2, and acuminatus 3

298 Conus janus, regularis, trochulus, testudinarius and nivosus

299 Conus testudinarius, venulatus, cinctus, sugillatus 2, arenatus 2, and granosus 2

300 Conus regularis, monile variety, sugillatus variety 2, venulatus and generalis, large and fine

301 *Conus thalassiarchus and cinctus*

302 Conus maldivus, 7 varieties

303 Conus generalis, 15 specimens, in varieties

304 Conus literatus, 5 varieties, 7 specimens

305 Conus millepunctatus, 6 varieties, 11 specimens

306 Conus eburneus, 4 varieties, 8 specimens

307 Conus Fergusoni, Sowb. Proc. Zool. Soc., 1873, pl. 15, very rare, and a fine large shell

308 *Conus pyriformis*, remarkably fine

309 Conus thomæ (=omaicus), very fine

310 *Conus crocatus*, a beautiful specimen

311 *Conus nobilis*, large and fine

312 *Ditto* ditto

313 *Conus Keatii and portoricanus*

314 *Conus aurisiacus*, a splendid shell

315 *Conus aurisiacus*, a fine dark variety

316 *Ditto* ditto

317 *Ditto* ditto

318 *Conus cœlinœ and connectens*

319 *Conus concolor and anceps*, both large and fine

320 *Conus centurio*, a fine rare shell

321 *Conus delessertianus*, very rare

322 *Conus archithalassus*, a beautiful specimen

323 *Conus archithalassus, variety granosus*, very rare

324 Conus ammiralis, large and fine

325 Conus ammiralis 13 varieties, and 3 granulated varieties of Lamark, a, b, c, d, e, f, g, i—these will be sold one by one

326 Conus petusus and incarnatus, both very fine

327 Conus incarnatus, Loroisii, figulinus 2, and suratensis

328 Conus scabriusculus 2, zebra 2, suratensis variety and Loroisii

329 Conus tesselatus, a wonderful dark variety, unique

330 Conus promethius. nemocanus, lævis and tessellatus

331 Conus characteristicus, nemocanus, tessellatus 3, figulinus 2, glaucus 2, ermineus 3, crassus 2, flavidus 3, and miles 2

332 Conus badius, ermineus 2, miles 2, figulinus, fine variety, and nemocanus variety

333 Conus præfectus radiatus, Bernardii, maculatus and Mediterraneus

334 Conus radiatus, large and fine, with operculum ; inflatus, rosaceus and maculatus

335 Conus Bernardii, Mediterraneus, infrenatus and inflatus

336 Conus maculatus, guinaicus, infrenatus and tinianus, all fine

337 Conus Mediterraneus, very large ; guinaicus, cinerus 3, monachus 4, and preefectus

338 *Conus vittatus and rosaceus*, both very fine

339 Conus tinianus, and 4 fine varieties of C. achatinus

340 Conus Adansoni variety ? emaciatus, Gabrieli, assimilis, senator 2

341 Conus pulchellus 2, senator 2, lineatus, emaciatus, and classiarius 2, all fine

342 *Conus Siamensis*, large and fine

343 *Conus Siamensis*, pulchellus 3 varieties, capitaneus 5, vitulinus 3, and planorbis 3

344 Conus mustellinus, sumatrensis, capitaneus 3, and vitulinus 3, all large and fine

345 Conus sumatrensis 2, mustellinus 2, planorbis 3, vexillum 5, and virgo 2

346 Conus senator, mustellinus 2 varieties, vexillum, virgo, and betulinus 2

347 Conus gubernator, striatus 4, circæ 6, terminus, punctatus and carinatus

348 Conus floridus, scriptus, stercus-muscarum 4, magus 10, Frauenfeldi, gubernator, and striatus 4

349 Conus gubernator and geographus, remarkably fine

350 Conus magnus 3, fine varieties, and circæ 2 varieties

351 Conus punctatus, ochraceus, consors and Daullei
352 *Conus carinatus*, a beautiful specimen
353 *Conus Daullei*, leoninus 2, geographus, and tulipa, fine, with operculum
354 Conus spurius, very fine
355 *Conus genuanus*, a beauty
356 Conus genuanus and spurius, both fine
357 Conus cervus, a splendid specimen of this very rare shell
358 Conus geographus 2, Deshayesii, obscurus 2, mappa 2, and tulipa 2
359 Conus spectrum 2, bullatus 3, tulipa 3, geographus 3, spurius and leoninus
360 Conus bullatus 3, spectrum 3, and episcopus variety, all fine
361 *Conus malaccanus*, a well coloured shell
362 *Conus gradatus*, fine and rare
363 *Conus turritus*, only one other known
364 *Conus granulatus*, a magnificent specimen
365 *Conus lynceus*, fine and very rare
366 *Conus floccatus*, tahietensis, and rattus 2
367 *Conus splendidulus and incurvus*
368 Conus undatus and coffea
369 Conus magdalenæ and granulatus
370 Conus lucidus and legatus, very fine
371 Conus retifer, fine, and C. mutabilis
372 Conus condensus and C. Jukesii
373 Conus legatus and caffer
374 *Conus cylindraceus*, extremely rare
375 Conus mitratus, very large and fine
376 *Conus suffusus* and mitratus
377 Conus tornatus, dispar, irregularis, hepaticus, & catus 7
378 *Conus trigonus*, very fine, and C. elongatus
379 *Conus trigonus*, large, and C. ventricosus
380 Conus purpurascens, lignarius 2, semistriatus 2, regalitatis, glans 2, large; informis and mozambicus

381 Conus luzonicus, purpurascens and regalitatis variety
382 Conus coccineus and regalitatis, both large and fine
383 Conus miser 2, sculptus 2, mercatoria 4, pygmœus 3, dealbatus, columbus, papillosus 2, *voluminalis* 2
384 Conus nucleus, articulatus, pica, fasciatus, lugubris, Californicus and atramentosus, a good lot, all rare
385 Conus articulatus, nucleus, mercator, madurensis, unifasciatus, secutor, jamaicensis and nitidus
386 Conus flavescens, sulphureus, pustulatus, pusillus 2, hieroglyphicus 3, jaspideus 2, Dillywynii and erythrænsis
387 Conus Australis, lacteus 2, lorenzianus and hyæna
388 *Conus floradensis*, very fine
389 *Conus floradensis*, interruptus, Mahogani, and parius 2
390 Conus virgatus, anemone and interruptus, all fine
391 Conus Grayi, zebroides, sindon 2, Reevei and suturatus, all rare and fine
392 *Conus colubrinus*, very rare and fine
393 *Conus cuneatus*, there is supposed to be only one other known
394 *Conus altispira*, unique
395 Conus Julii, pauperculus and Crotchii
396 Conus Caillaudi and marchionatus
397 *Conus timorensis*, a superb specimen
398 *Conus nimbosus, timorensis and cancellatus*
399 *Conus cancellatus and marchionatus*
400 *Conus marchionatus and festivus*
401 *Conus aculieformis*, very rare and fine
402 Conus algoensis, Clerii, Philippii and Gruneri
403 Conus orion, perplexus, furvus, cingulatus 2, and Cecillei
404 Conus æmulus, nisus, Loveni, puncticulatus, novæ-Hollandiæ, tabidus, griseus and Blainvillei, mostly rare
405 Conus Victoriæ, a fine dark variety
406 *Conus complanatus*, remarkably fine

407 Conus rhododendron, a beautiful shell
408 *Conus tenellus*, very rare
409 Conus complanatus and tendineus
410 *Conus circumsisus*, very fine
411 *Conus elizæ and circumsisus variety*
412 Conus clavus, prælatus, terebellum 2, nussatella 3, and variety 3
413 Conus rhododendron, a charming shell
414 Conus prelatus, abbas 2, and panniculus, all fine
415 *Conus circumcisus*, very fine
416 Conus tigrinus, pyramidatus and archiepiscopus, very fine
417 Conus conspersus, Broderippii, stigmaticus & stramineus
418 Conus *stillatus, straturatas, subulatus and croceus*
419 Conus magnificus, pennaceus 2, textile 2, and aulicus variety
420 Conus aureus, pennaceus 2, textile and aulicus
421 Conus auratus, rubiginosus, and nussatella 2
422 Conus vicarius, verriculum, textile 2, and omaria 4
423 Conus magnificus, textile 2, and aulicus, all large and fine
424 Conus aureus, terebra 2, omaria variety 2, episcopus 4, and nussatella 3
425 Conus auratus, canonicus 5, textile variety, omaria variety, and aulicus variety 3
426 Conus promethius and betulinus 2, large and fine
427 Conus promethius, large, and rare varieties of betulinus
428 Strombus latissimus
429 Ditto
430 *Strombus laciniatus*, very finely coloured
431 *Ditto*, fine
432 *Strombus thersites*, very fine
433 Strombus Pacificus, very fine
434 Strombus Australis, Pacificus, and melanostoma 2
435 Strombus granulatus 2, tricornis 3, and melanostoma 2

436 Strombus inermis, Isabella, pugillis, latus, gracilis, pugilis variety 2, and tricornis variety 2

437 Strombus alatus 2, Australis and Mauritianus, a beautiful variety

438 *Strombus papilio*, a lovely specimen

439 *Ditto*, fine

440 Strombus papilio, Campbellii 2, and fasciatus 4

441 Strombus fuseformis, bulbulus, rugosus 2, hæmastoma, terebellatus 3, and variabilis 3

442 Strombus samar 2, Sibbaldii, columba, variabilis 2, and elegans 2

443 Strombus Swainsoni 2, gibberulus, fine varieties, 4; Mauritianus 2, and others

444 Strombus variabilis 2 varieties, marginatus 4, succinctus 4, Swainsoni 4, and luhuanus 3

445 Strombus urceus 5, Ruppellii 8, dentatus 8, floridus and maculatus, several varieties

446 Strombus galeatus and pugilis, both fine

447 Strombus peruvianus, gallus, costatus, and vittatus 3

448 Strombus lobatus, epidromus and peruvianus

449 Srombus costatus, gallus, auris-dianæ 3, vittatus, rare variety, 2, and canarium 5

450 ROSTELLARIA RECTIROSTRIS, very fine

451 *Rostellariia curta*, very fine, and young

452 ROSTELLARIA POWISII, very rare and fine

453 *Rostellaria melanostoma*,

454 ROSTELLARIA RECTIROSTRIS, very fine

455 Rostellaria curvirostris 2, crispata, cancellata, & fissurella 2, all good shells

456 CYPRÆA AURORA, in finest possible condition

457 *Cypræa Scottii*, a splendid shell

458 *Cypræa tesselata*, fine

459 *Cypræa sulcidentata*, large and fine

460 *Cypræa umbilicata*, large and fine

461 *Cyraœa exusta* and mappa, fine

462 *Ditto* and 2 varieties of mappa
463 *Cypræa Adamsoni*, very rare
464 Cypræa Listeri, subviridis, pallida, edentula and picta
465 Cypræa Listeri and xanthodon, rare
466 *Cypræa bicallosa*, very rare
467 Cypræa capensis and edentula, both very fine
468 *Cypræa fusco-dentata* and edentula
469 *Cypræa pulchra*, fine
470 *Cypræa Reevei*, and algoensis 2
471 *Cypræa leucostoma*, fine
472 *Cypræa bicallosa* (poor) and fine stercoraria
473 *Cypræa esontropia and cernica*, both fine
474 *Cypræa capensis*, and fine C. *pulchella*
475 *Cypræa pulchella*, very fine
476 Cypræa pulicaria 2, Comptoni, piperata and bicolor
477 Cypræa bicolor 2, perperata, Comptoni, and Peasei 2
478 *Cypræa albuginosa, nigropunctata, declivis and sanguinolenta*, all rare
479 *Cypræa lutea, citrina, Goodallii and contaminata*, all rare
480 Cypræa stolida 2, subcylindrica, assellus 2, hirundo, Isabella 4, undata variety 2, ocellata, punctulata, felina, cribraria, cylindrica, tabescens and clandestina, 29 specimens in all
481 *Cypræa umbilicata*, rare
482 Cypræa testudinaria, remarkably fine, & melanostoma 2
483 Cypræa testudinaria, very fine, and thersites 2
484 Cypræa pantherina, the rare black variety, in fine order
485 Cypræa Scottii, and melanostoma 2
486 Cypræa angustata, fine ; menkeana, zonata & subviridis
487 Cypræa eglantina (arabica variety), fine black variety
488 Cypræa stolida 2, reticulata, hirundo 2, ursellus 2, quadrimaculata 2, and undata 2, all very fine
489 *Cypræa erythræensis, Boivinii*, quadrimaculata, rhinoceros and gangrenosa
490 Cypræa Humphreysii (lutea) 2, undata 2, zizzac 3, spurca 4, helvola 2, and variety

491 Cypræa cinerea and variety 2, eburnea 2, sordida 2, nebulosa and neglecta

492 *Cypræa Margarita, annulata 2, concava and Childreni,* all rare

493 Cypræa ovula and variety 2, oniscus 2, globulus 4, staphylæa 7, limacina 3, and nucleus 4

494 Cypræa arenosa, staphylæa variety, fimbriata 3, menkeana (modesta), irrorata 2, cribellum 2, and stercus-muscarum

495 Cypræa (Trivia) *vesicularis, Australis* 2, *Pacifica* 2, *sanguinea and rosea,* all rare

496 Cypræa Madagascariensis, pustulata 2, and radians, all fine

497 Cypræa (Trivia) Solandri 2, Californica 2, tremeza 4, and 4 other species

498 Cypræa Sowerbyi, ventriculus, Lamarkii, and a rare yellow variety of carneola

499 Cypræa cervina and exanthema, both very fine

500 Cypræa ventriculus, variolaria 3 varieties, erosa 3 varieties, turdus 3, rattus 2, pantherina 3, lurida 3, scurra 3, and miliaris 2

501 Cypræa pyrum 2, eglantina, onyx 3 varieties, and Lamarkii

502 Cypræa Sowerbyi 2, rattus, pantherina 3, Mauritiana and rare variety

503 Cypræa argus 2, mappa 2 varieties, carneola 2, vitellus mus 4, and lynx 6

504 *Ovulum tortile* (angulosum), large and fine

505 Ovulum volva 2, fruticum and pudicum

506 Ovulum birostre, hordaceum, rhodia, and adriaticum 2

507 Ovulum spelta, semistriatum, carneum 4, concinnum 3, and lacteum

508 Ovulum volva 2, simile, seminulum, variabile, antillarum, Californicum and uniplicatum

509 Ovulum emarginatum, intermedium 2, gibbosum 3, verrucosum 2, and oviforme 2

510 Pediculária elegantissima 2, sicula 2, and 20 species of Cerithium

511 Cerithium Adansoni, subnodosum and 7 others

512 *Cerithium novæhollandiæ*, cœruleum, tuberosum, and 6 other species

513 *Cerithium Sowerbyi, and Turritella columnaris* 2

514 *Cerithium nobile*, very fine

515 *Cerithium Cumingii*, Turritella terebra 2, punctata and meta, all fine

516 Cerithium torulosum, lineatum, rostratum, Crossei, macrostoma, and 18 others

517 Potamides ebeninum 2, and Pacificum 2

518 *Cerithium lævе*, fine; fuscum 2, Lampania zonale and 3 others

519 Cerithium pallustre 2, sulcatum 2, moluccanum 2, fluviatile 2, fuscatum 2, and 12 others

520 Cerithidea obtusa 2, Kieneri 2, varicosa 2, Charbonnieri 2, decollata 2, cornea 2, sacrata, and Montagnei 2

521 Cerithiopsis clathratum, Perinea conica, and 11 species of Triphoris

522 Melania mitra, and 11 others from Java

523 Melania obstricta 2, and 7 others from Java

524 Melania fumosa 2, and 7 others from Java

525 Melania mindorensis 2, punctata, balteata, sparsinodosa and 5 others

526 Vibex Owenii, aurita 3, fusca 4, Melania lævissima 2, and 2 others

527 Melania, 23 named species from Java

528 Ditto, 40 named species

529 Melanella, Hemisinus, Venera, Anculotus, Goniobasis, Flamicola and Melanopsis, 24 species in all

530 Jo brevis, spinosus, Pirena terebralis 2, and picta 2

531 Pirena fluminea, plicata 2, and 20 species of Littorina, named

532 *Clionella buccinoides*, rare

533 Littorina, 33 named species, including *pulcra and grandis*

534 Tectaria pagodus, Echinella Cumingii 2, and 6 species of Tectaria

535 Modulus 5 species, Cremnobatis, Lacuna 3 species, Fossarus 3 species, Paludestrina, and 10 species of Planaxis

536 Quoyia decollata, Rissoina Cumingii and elegantissima, and 12 species, Amnicola and Rissoa

537 Paludina, 27 named species

538 Paludomus, 10 named species

539 Ampullaria (Lanistes), 7 species, 12 specimens

540 Ampullaria castanea, paludosa, and 8 species, all named

541 Ampullaria pachystoma, polita and 7 species, all named

542 Ampullaria Metcalfei, scalaris and 7 species, all named

543 *Ampullaria gigas, neritoides and urceus*

544 Ampullaria ampullacea, dolium, cubensis & sumatrensis

545 Ampullaria cassidiformis, Orbignyana, speciosa, Chemnitzii, and 2 others

546 Ampullaria polita, luzonica, Layardi, and 2 new species

547 Turritella, 10 species, very fine

548 Turritella and Mesalia, 23 species, some rare

549 *Xenophora solaris*, fine, with operculum

550 *Ditto* 2, fine

551 Xenophora onusta and indica, both very fine

552 *Xenophora conchyliophora* (Phorus agglutinans) and calculifera 2

553 *Xenophora conchyliophora* 2, *and corrugata*

554 *Xenophora solaroides* 2, *cerea*, and a very fine *conchyliophora*

555 *Calyptræa æquestris*, on the base

556 Calyptræa, 10 named species

557 Crucibulum, 9 named species

558 Trochita spirata and radians, very large

559 Trochita, 8 named species

560 *Trochita trochiformis*, large and fine

561 Crepidula, 18 species, mostly named

562 Pileopsis, 8 species ; Hipponyx, 7 species, and Neritopsis radula 2, a fine lot

563 Narica, 8 species, named, rare

564 Nerita, 27 species, fine and some rare

565 Neritina, 20 named species

566 Ditto ditto

567 Ditto ditto

568 Navicella, 17 named species

569 Phasianella Australis 2, bulimoides 2, pulla, variegata, rubens, Vieuxii, intermedia and Kockii

570 Phasianella veunsta, sanguinea, jaspidea, bulimoides, Kochii, zebra, ventricosa, nivosa, æthiopica & Australis

571 Turbo Lajonkairi, cornutus, variabilis 2, and petholatus 2

572 Turbo japonicus, setosus 2, and 6 others

573 Turbo Spengleri 2, canaliculatus 2, margaritaceus 2, and imperialis

574 Turbo petholatus, rare variety, and variabilis, both very fine

575 Turbo sparverius, setosus 2, chrysostoma 5, and histrio 3

576 Turbo funiculosus, setosus, articulatus, ticaonicus, pulcher, and radiatus variety 2

577 Turbo artensis, speciosus, radiatus, crenulatus 2, and chemnitzianus

578 Turbo laminiferus, saxosus 2, fluctuatus 2, and crenulatus 2

579 Turbo sparverius 2, ticaonicus variety 2, gemmatus, spinosus 2, castaneus, tumidulus, natalensis, and niger 3

580 Turbo mespilus 2, cidaris 3, creniferus 4, versicolor 2, porphyrites 2, coronatus, and porcatus 3

581 Turbo sarmaticus, smaragdinus, undulatus, granulatus 4, torquatus, heterotrichus and coronatus, fine

582 Trochus (Polydonta) reguis 2, concinnus, flammulatus 2, incarnatus, maculatus 4, and incrassatus 2

583 Trochus (Polydonta) oblitus, altus, verrucosus, tubifer, textilis 2, squarrosus 3, *crebregranatus*, rare, and Cardinalia virgatus

584 Trochus (Polydonta) sugillatus 2, histrio 2, maculatus 2, Kochii 2, and concavus

585 Turbo (Pachypoma) imbricatus, unguis, inermis, rhodostoma 2, Americanus 2, and olivaceus 2

586 Turbo (Pachypoma) tuber, undosus, rugosus and cœlatus

587 Turbo (Pachypoma) modestus, elegantulus, cœlatus and gibberosus

588 Turbo (Pachypoma) sulcatus 2, latispina, tuberosus and Buschii

589 Turbo (Moddia) rubicundus, granulosus and punctulatus, all fine

590 *Guilifordia triumphans*, very fine

591 Turbo (Australium) *heliotropium*, large and fine

592 Turbo (Australium) longispina 2, costulatus, brevispina, calcar 4, and 4 others

593 Turbo (Australium) japonicus, rotularis, fimbriatus, tentoriformis, astericus, stellaris 2, spinulosus, longispina 2, and nov. species 2

594 Monodonta, 8 species, named

595 Euchelus, 5 species, named

596 Gibbula, 18 species, named

597 Perrinea, Collonia, Cantharidus, Chrysostoma, Photinula, Margarita and other Trochidæ, 23 species in all

598 *Ziziphinus tigris and spectabilis*, rare and fine

599 Ziziphinus selectus, armillatus, nobilis and articulatus, all fine

600 Ziziphinus canaliculatus 2, annulatus 2, ornatus 2, conuloides 2, and 3 varieties, Antonii and unicus

601 Ziziphinus flavus, granatus, bicingulatus 2, ornatus variety, granulatus 2, and chlorostoma 2

602 Ziziphinus Cunninghami, jujubinus 2, Antonii 2, eximius 2, speciosus 2, filosus and 8 named species

603 Eutrochus scitulus, Bankivia varians, Cantharis iris 2, Elenchus lividus and 10 other species, and numerous specimens

604 Thalotia alternata 3, elegans 6. Lehmami 5, zebrides 4, indistinctus 2, and moniliger 2

605 Omphalius excavatus 3, microstoma 3, and 8 other species, 20 shells in all

606 Monilea corrugata 2, callifera, kalisonea. Clanculus undatus, maugeriæ, personata 2 pharaonis 4, Ceylonicus 2, clanguloides, corallinus 8, Danieli 2, Thomasi and 6 species

607 Oxystele merula, constellatus 2, Trochocochlea tæniata 3, articulata 3, pellisserpentis

608 *Trochiscus Norrisii*, fine

609 Chlorostoma ater, argyrostoma 2, nigerrimum, Pfeifferi 2, brunneum 2, gallina 2, and funebrale 2

610 Trochus maximus 2, and niloticus 2

611 Trochus niloticus, maximus, rare variety, and acutangulus 3

612 Livonia pica 2, Pyramidea acuta 2, nodulifera, Mauritiana, and fenestrata 3

613 Trochus (Pyramidea) pyramis 2, dentatus, triserialis, rare, and architectionicus

614 Liotia clathrata, Angasii, verrucosa, cidaris, syderea, scalarioides, Perronii and depressa, a rare lot

615 Rotella, a fine series, 39 specimens, 9 species

616 Delphinula atrata 3, laciniata 4, tyria 2, and aculeata

617 *Delphinula Martinii*, very rare; laciniata 4, *formosa and nodosa*

618 Delphinula aculeata 2, distorta 2, irrata 2, muricata 2, aculeata variety and radiata

619 *Delphinula imperialis*

620 Delphinula euracantha 2, laciniata, nov. species, and a very large atrata

621 DELPHINULA ARION. The specimen figured in Seba, Tom. 3, pl. 59, described Journal de Conch, 1870, page 380, [one of the valuable shells of this collection, there is probably only one other known

622 Haliotis Cunninghami, corrugata, rugosoplicata, nævosa, sulcosa and diversicolor

623 Haliotis digitalis, splendens, gigantea, nævosa, kamskatkana and albicans

624 Haliotis Cracherodii, iris 2, bistriata, tuberculata 2, and japonica 4

625 Haliotis iris, Cracherodii, striata 3, and 6 species

626 Haliotis ovina 2, excavata 2, funebris, and sanguinea 2

627 Haliotis revelata 2, viridis 2, zigzac 2, planilirata, nebulata, squamata 2, decussata, Tayloriana, and virginea 2

628 Haliotis Roei, squamosa, glabra 3, clathrata 10, coccinea and bistriata

629 Haliotis pulcherrima 2, coccoradiata 2, lamellosa 2, gibba, semistriata, varians 2, and asinina 4

630 *Haliotis rubicunda, emmæ, Brazieri, parva* 4, *elegans and stomatiæformis*, all rare

631 Fissurella maxima, nigra, picta, crassa, lata, limbata 2

632 Fissurella picta, maxima, crassa, latimarginata, nimbosa, bella, Mexicana 2, and barbadensis 5

633 Fissurella lata, picta, Cumingii, oriens, Lincolnii 2, nodosa 5, and Listeri 5

634 Fissurella costata 2, oriens, neglecta 2, virescens, Bridgesii, fumata 2, reticulata 2, exquisita 3, imbricata 3, rosea 3, natalensis 3, Sieboldii 2, and 9 other species

635 Fissurellidea hiatula, nigrita, Clypidella pustula, Macrochisma maxima, angustata, producta and sinensis

636 Emarginula bellula, fissurata, panhiensis, depressa 6, and polygonalis 6

637 *Lucapina crenulata*, a fine shell

638 Scutus elongatus, corrugatus, unguis and granulatus

639 Dentalium, 13 species

640 Patella clypeater, viridula, variabilis, pentagona, stellularia, and striata 2, all in fine order

641 Scutellina galathea, ferruginosa, Gadinia pentagonostoma, reticuluta, costata, afra, Scurria scurra, and 7 species of Nacella

642 Patelloidea gigantea, Kochii, amæna, alvea 2, and 12 named species of Patella

643 Patella conspicua, testudinaria, umbella, magellanica, variegata 3, and deaurata

644 Patella zebra, Argenvillei, deaurata 2, umbella 2, conspicua 2, and testudinaria 2

645 Patella, 7 species, 12 specimens

646 Patella cochlear 2, tabularis and 16 species

647 Patella nigrisquamata, spinifera, lugubris 3, decora 2, aspera 2, nigrolineata, sanguinea, clathratula and vidua, all in fine order

648 Patella cœrulea 2, compressa, granatina 3, oculus 3, pyramidata 2, and longicosta 3

649 Patella compressa 2, apicina 3, plicata 3, and Mexicana, large

650 Patella rustica, laciniosa and longicostata, all large and fine

651 Patelloidea gigantea, and 17 named species of Patella

652 Siphonaria gigas, obliquata, and 15 named species

653 Umbrella indica, large and fine

654 Umbrella indica variety and Mediterranea

655 *Dolabella gigas and Rumphii*, both very large and fine

656 Pleurobranchus membranaceus, and 4 species of Aplysia, Linteria viridis, Lobiger Philippii, Philine quadripartita, schrœteri and aperta

657 Bulla (Scaphander) lignaria 2, (akera) soluta 2, and 9 species of Bulla, all named

658 Bulla fusca 2, Thalassiarchi 4, physis 3, vexillum 2, and pemphis

659 Bulla albocincta 2, vexillum 2, physis 2, & Thalassiarchi 2, all very fine

660 Bullina scabra 2, vitrea, Bulla nitidula 2, amygdala 6, nebulosa 2, oblonga 2, Australis 2, cruentata 2, trifasciata 6, ampulla 5, Adansoni and aspersa

661 Tornatella tornatilis, flammea, Mariæ, insculpta, Siebbaldii and *alba* (type)

662 Buccinulus coccinata, nitidulus, affinis, solidulus, glabra, byronensis and suturalis

663 Voluta undulata 2, Angasii variety and Pacifica variety

664 Voluta Pacifica, fine

665 *Voluta Sclateri*, very fine and rare

666 Voluta pallida, very fine

667 *Voluta prætexta*, large and fine

668 VOLUTA JUNONIA, a valuable shell

669 *Voluta maculata*

670 VOLUTA LYRÆFORMIS, a fine, large and well coloured example of this excessively rare Voluta, but having the spire artificially mended, so well done however, as not to be observed without very close examination

671 VOLUTA CYMBIOLA, very fine and rare

672 *Voluta bullata*, in fair condition, very rare

673 Voluta costata and reticulata

674 Voluta delessertiana and mitræformis

675 *Voluta Cumingii and deliciosa*

676 Voluta deliciosa, harpa and delessertiana

677 Voluta nucleus, cassidula and mitræformis

678 *Voluta cymbiola*, very rare

679 Voluta reticulata, pretexta, and Angasii 2

680 Voluta Rückeri, and Norrisii 2

681 Voluta Rückeri, very large

682 *Voluta aulica*, large and fine

683 *Voluta Hamillei*, Journal de Conch, 1870, pl. 1

684 Voluta rupestris 2, nivosa and Norrisii, a fine dark shell
685 Voluta nivosa and indica, fine variety
686 Voluto flavicans and indica 2
687 Voluta Ellioti and flavicans variety
688 Voluta flavicans and rutila, both very fine
689 Voluta Rückeri and Ellioti, both very fine
690 *Voluta Turneri*, a rare shell
691 *Voluta Sophiæ*, very rare and fine
692 *Voluta piperata*, the fine shell figured Conch, Icon. pl. 7
693 *Voluta Macgillivrayi* (Cox) and piperata variety
694 *Voluta tissotiana*, only one other known
695 Voluta zebra variety lineata, and pulchra
696 Voluta guinaica 2, musica 2, thiarella and carneolata
697 Voluta hebræa and variety, musica 7, and thiarella variety 4
698 Voluta hebræa, 3 varieties, and fine vexillum
699 Voluta vexillum and gracilis
700 *Voluta pulchra*, in fine condition
701 *Voluta virescens* (polyzonalis) rare and fine
702 Voluta Deshayesii, very fine
703 *Voluta Thatcheri*, very rare
704 Voluta pellis-serpentis, and vespertilio 2, large and fine
705 Voluta vespertilio, fine varieties, 10 specimens
706 Voluta serpentina 2, and mitis, with 5 varieties of pellis-serpentis
707 Voluta magnifica, a fine shell
708 Voluta rossiniana, large and fine
709 Voluta Braziliensis, in fine order
710 Voluta magnifica, very fine
711 Voluta fuseformis, very large and fine
712 Voluta ancilla, large
713 Voluta imperialis, fine
714 Voluta fuseformis, a choice cabinet specimen
715 Voluta imperialis, 2 varieties
716 Voluta fulgetrum, a well marked specimen

717 *Voluta papillosa*, very rare
718 Voluta angulata and imperialis
719 Voluta marmorata, rare
720 Voluta elongata, and scapha 2
721 Voluta scapha, large and fine, and Cymba olla
722 Voluta scapha, *variety coronata*, rare
723 Voluta Ferussacii, a rare shell
724 Voluta scapha, variety parva 2, and 2 other varieties, and Cymba olla
725 *Voluta fulgetrum*, very fine
726 Cymbium georginæ, Broderippii, proboscidale and ducale
727 Cymbium Miltoni, armatum, diadema and æthiopicum
728 Cymbium patulum, porcinum, proboscidale and tesselatum
729 Cymbium gracile, indicum, Lamarkii, and tritonium 2
730 Cymbium armatum, ducale, indicum, æthiopicum and Broderippii
731 Cymbium Lamarkii, Broderippii, melo, naviculare and diadema
732 Cymbium Neptuni, and other large species
733 Chiton magnificus, gigas and aculeatus, all large and fine
734 Chiton setiger, piceus, tunicatus, peruvianus and granosus
735 Chiton spiniger, aculeatus, coquimbensis, marmoreus and petholatus
736 Chiton squamosus, Stokesii, marmoratus, and alatus 2
737 Chiton Cumingii 2, elegans 2, articulatus, patulus, magdalensis 2, virgulatus, Australis, Hindsii and Hennahi
738 Chiton brevispinosus, Bowenii, albilineatus, fastigiatus, lineolatus, magnificus, gigas, and 4
739 Chiton fulvus, Watsonii, cerasinus, cymbidia, siculus, insculptus, pertusus, concentricus, Sinclairi 2, ruber, marginatus, asellus, and 3 others

740 Ischnochiton pectinatus, productus and *Amicula Emmersoni*
741 *Schizochiton incisus*, very rare and fine
742 Chitonellus fasciatus, rare
743 Pteropoda, 11 genera
744 Pteropoda, various genera, including *Balantium*
745 Scalaria pretiosa, large and fine
746 *Scalaria imperialis*, very fine and rare
747 Scalaria neglecta and varicosa
748 *Scalaria varicosa*, very fine, and S. pretiosa
749 Scalaria Pallasii 2, and pyramidalis, all fine
750 *Scalaria gradata* 2, *and alata*, fine
751 *Scalaria raricostata* and young
752 Scalaria irregularis 2, tenuicostata, and cochlea, all fine
753 Scalaria immaculata, lyra, and 9 others, named
754 *Argonauta argo and tuberculosa*, both very large and fine
755 Argonauta tuberculosa, and argo 2
756 Argonauta Gruneri and argo, variety elongata
757 Argonauta Owenii, hians 2, and argo variety 2
758 Argonauta gondola 2, and nov. species 1, sepia species? and Spirula Perronii 4
759 Nautilus pompilius and scrobiculatus
760 Nautilus macromphalus and pompilius
761 Scalaria pretiosa, 2 fine shells
762 Scalaria perplexa, lineolata, trifasciata 3, and 8 other species
763 Scalaria diadema 2, muricata 2, and 8 others, all named
764 Opalia crenulata, Australis 2, and 6 species of Scalaria, all named
765 Cancellaria reticulata and Spengleri, both large and fine
766 Cancellaria asperella and sinensis, both fine
767 *Cancellaria nodulifera*, very fine
768 Cancellaria buccinoides, chrysostoma, urceolata, piscatorum and littorinæformis

769 Cancellaria tessellata, Verreauxii, rugosa 2, scalata 2, and cancellata 2

770 Cancellaria reticulata 2, scalata 2, rugosa 2, obliquata 2, and lamellosa

771 Cancellaria bocageana, foveolata, oblonga, semidisjuncta and granosa

772 Cancellaria scalarina, similis, brevis, textilis & costifera

773 Cancellaria crenifera ?, acuminata and geniostoma, all fine

774 Cancellaria cassidiformis, undulata and solida, all fine

775 Marginella bullata, nubecula 2, quinqueplicata & rosea 2, all fine

776 *Marginella Goodallii*, rare and fine

777 *Marginella mosaica*, very rare and fine

778 *Marginella musica and Largillieri*, both fine

779 Marginella vittata, albocincta, sarda, tricincta, tessellata, and 5 others

780 Marginella piperata, cincta, constricta, immersa, and 6 others, named

781 Marginella piperata, sarda, angustata, dactylus, similis, and 6 others, named

782 Marginella Cleryi, harpœformis, carnea, faba 3, and interrupta 6

783 Marginella Cumingii, muscaria, Adansoni and elegans

784 Marginella bifasciata 2, labiata, cornea 2, and longivaricosa 3

785 Marginella Adansoni, oblonga, undulata and helmatina, all fine

786 Marginella undulata, glabella 2, aurantia 3, rosea 3, sapotilla, and cœrulescens 6

787 Marginella hondurasensis 3, curta, Bouchardi, irrorata 2, and marginata 3

788 Marginella limbata 2, intermedia, rosea variety, bivaricosa 3, and glabella 2

789 Marginella dactylus, blanda, translucida, Australis, fusca, and 6 others, named

790 Marginella, 9 species, named

791 Erato vitellina, scabriuscula, lævis, Schmeltziana and angulifera

792 *Trichotropis bicarinatus*, very fine

793 *Trichotropis unicarinatus*, rare; insignis, cancellatus, borealis 2, and Admete crispa

794 Ianthina grandis, fine; prolongata, and 5 other species

795 Scissurella, Odostomia, Parthenia and Ringicula, 15 species

796 *Stomatia phymotis, duplicata and obscurata*

797 Gena planulata, nigra, pulchella, varia, lutea and striatula

798 Stomatella imbricata, papyracea, rubra 2, cancellata 2, japonica 2, and Stomatia phymotis, fine

799 Stomatella elegans 2, articulata, rubra 2, japonica 2, imbricata and mariæ, rare

800 Stomatella papyracea, malaccana, angulifera, sulcifera, splendidula and haliotoidea, a rare lot

801 *Stylifer corallinus*, fine and rare, and *Scalenostoma carinatum* 2

802 Stylifer fastigiata, exarata, Cumingii, paulucciæ, and 1 nov. species

803 Eulima major 2, grandis 2, and 6 others

804 Eulima brevis, subpellucida, flexuosa, Cumingii, and 4 others, named, and Styliferina, 2 species

805 Monoptygma fulva & striata, Leiostraca nivea, subulata, and species of Smyrnola and Fenella

806 *Pyramidella canaliculata* (Sowerby), tessellata 2, pulchella 4, and aclis 2

807 *Pyramidella eleyans*, very rare; dolobrata, auris-cati, nitida, gracilis and teres

808 Pyramidella punctata, ventricosa, maculosa, mitralis 2, propinqua 2, and terebellum 2, all fine

809 Pyramidella sulcata 2, obeliscus 2, punctata 2, and pupœformis 2

810 Nassa, tray of choice species, 40 shells in all

811 Nassa, 36 species, named

812 Nassa, 40 species, named

813 Columbella, tray of choice species, some rare

814 Columbella ligula, obtusa, turrita, and many others

815 Meta cedo-nulli, and coniformis 2, and several sub-genera of Columbella

816 Columbella strombiformis, hæmastoma, guttata, and 16 others, named

817 Columbella Boivinii, labiosa, Tyleri, aspersa, Dysoni, japonica, fabula, scalarina, lyrata, and 15 others, named

818 Auricula auris-malchi, midæ, polita and Morchi

819 Auricula midæ, judæ, Malchi, polita, subula, stagnalis, pullucens and elongata

820 Pythia, tray of 16 named species

821 Melampus and Trifata, 22 named species

822 Marinula, Pedipes, and other genera of Auriculidæ, in all 29 species, named

823 Cassidula and Scarabus, 14 species, named

824 Pupa, 27 named species

825 Pupa, 43 named species

826 *Cylindrella Ghesbreghtii and turris*, both large

827 Cylindrella clava, sanguinea, and many other fine species, 30 in all

828 Cylindrella menkeana, baquieana, Sowerbyana 2, Brooksiana, and other rare and beautiful forms

829 *Cylindrella speciosa and Boucardi*, both large and fine

830 *Cylindrella grandis and splendida*, both large and fine

831 Cylindrella Ellioti, filicosta, polygyra, salléana, arcuata, and 24 others, named

832 Clausilia, tray of fine species, including Mouhoti, Swinhoei and Sieboldii, in all 37

833 Clausilia, 80 species, named

834 Ditto ditto

835 Megaspira elata and elatior, and 33 species of Clausilia, named

836 Lymnæa, 20 named species, and Physa 15

837 Amphibulina patula, Omalonyx unguis, and 5 species of Chilina

838 Amphipeplea Cumingii 2, Clyptophysa Petitii 3, and Ancylus, 4 species

839 Planorbis, 24 species, and fine Vitrina, 4 species

840 Vitrina superba, Welwitchii, gigas, monticolor, præstans, Sowerbyana, and others

841 Simpulopsis obtusa, Boissieri and 3 species, Succinea putamen, crocata, and 6 others

842 Ceres œolina and salléana, both very fine

843 Proserpina, tray of 4 species, and Stoastoma, 8 species, named

844 Gastrodonta ensifera, Hemicyclostoma pisum 3, Lucidella 2 species, and Trochatella 14 species, all named, in all 34 shells, a fine lot

845 Bourciera 2 species, Schiascheila 2 species, and Alcadia 10 species, named

846 Helicina, tray of 42 species, named

847 Ditto, 40 species, named

848 Ditto, 28 species, named

849 Macroceramus, 16 species

850 Partula, 38 species, mostly named

851 *Amastra Kauaiensis*, very rare

852 Achatinella, 50 species, named

853 Ditto ditto

854 Ditto, 42 species, named

855 Helix incerta, lima, varians, velutina and musicola, all from Porto Rico

856 Helix sulcifera, leucostyla, mucronata 2, argentea 2, Mauritiana, rufa 2, Rawsoni 2, and rufocincta 2, all from Mauritius

857 Helix jamaicensis, semirugata, tranquebarica, rosacea, lucana, globulus and pomum

858 Helix Macmurrayi, fuscocincta 2, tenerrima 2, Gossei 2, and 12 others, from Jamaica

859 *Helix Petitiana and apollo*, both large and fine

860 Helix crassilabris, rangeliana, proboscidea, and 10 other species from Cuba

861 Helix bayamensis, sagraiana, and 6 fine varieties of Helix picta

862 Helix baracoensis, auricoma, alauda, pariana, Dennisoni and muscaria

863 Helix picta, 8 fine varieties

864 Helix subtusulcata, bonplandi, brochera, ovum-reguli, pencillata, alauda, and parriana 2

865 *Helix imperator and Spengleriana*, both fine

866 *Helix ingens and Chemnitziana*, both rare and fine

867 Helix Bainbridgei, cognata, carmelita, aspera and patina

868 Helix angistoma, peracutissima, acuta, lychnuchus, cara 2, Josephina 2, and sinuata

869 Helix cepa, fine; perplexa, desidens, guamartemus, nucleola, and other rare Helices, 9 in all

870 Helix Dilwyniana, plicaria 2, soror 2, sarcostoma, consobrina, modesta 2, Adansoni, anomala 2, Bronnii, and 1 other

871 Helix nux-denticulata 2, picturata 2, invalida, cepa variety, okeniana, fortis, lucerna, valida and sinuata

872 *Helix imperator, angistoma* and unidentata, all fine

873 *Helix magnifica*, very large and fine

874 *Helix Souverbieana*, very fine

875 *Helix gigantea*, very fine

876 Helix oviformis and magnifica

877 Helix goudotiana and Souverbieana

878 *Helix gloriosa* and magnifica

879 *Helix fulgurata*, very rare, see Conch. Icon., plate 205, fig. 1446

880 Helix Duvalii, strangulum, xystera, lancula, sepulchralis, 2 varieties, and lanx, large

881 Helix Audebardi, undulata, luguillensis and atrata

882 Helix oreas, cymatodes, atrata and subcastanea

883 Helix æquatoria, discolor, orbiculata, juno, bituberculata and trizonalis

884 *Helix Gibboni*, large and fine

885 *Helix Amori*, large and fine

886 Helix pellis-serpentis 2, Braziliensis and vipera, all very fine

887 Helix pellis-serpentis variety 2, heliacea and teisthameli, all very fine

888 Helix inversicolor 2, argentea 2, implicata 2, & stylodon, in all 15, from Mauritius

889 Helix terrieziana, abax, dictoides and others, in all 14 trays, from New Caledonia

890 Helix labyrinthus, erecta, plicata and Raimondi, all fine

891 Helix plicata, furcilata and *uncigera*, rare

892 Helix (Labyrinthus) ænigma, uncigera and a new species

893 Helix leucodon, bifurcata, Leprieurii, Manueli, tamsiana and Behrii

894 Helix angulata, patazensis, trenqueleonis, and 6 named species, from California

895 Helix idahoensis, fidelis, infumata, Newberryana, and 13 other species, from California, named

896 Helix Grevillei and superba

897 Helix palawanica and cepoides, fine

898 Helix Traillii, Cunninghami, illustris and palawanica

899 *Helix pyrostoma*, very fine and rare

900 Helix Cunninghami, laxata, Swinhoei and illustris

901 Helix linnæana, very fine, see Conch. Icon., plate 48, only two others known

902 *Helix pyrostoma*, fine

903 Helix cornumilitare and Falconari

904 Helix Ghiesbreghtii, very fine
905 Helix caffra and Busbyi, both fine
906 Helix Studeriana and cornu-militare
907 Helix Ghiesbreghtii, fine
908 Helix Busbyi and Falconari
909 Helix ungulina 2, and unguicula 2
910 *Helix sulcosa*, very rare
911 *Helix rubra*, very fine, and ungulina variety
912 Helix unguicula 2, quieta and latizona
913 *Helix rubra*, fine, and 1 species like Yoldii
914 *Helix Yoldii*, large and fine, very rare
915 *Helix Gruneri*, large and fine, very rare
916 Helix torticollis, tortilabia, zebra, zonaria 4, and cornicula 2
917 Helix Margarita, circumdata and molliseta
918 *Helix circumdata, tortilabia Kurrii, phryne*, and 3 other species
919 Helix zonalis 2, coluber, zonaria 4 varieties, bigonia 2, Listeri 2, rota 2, marginata, Lascallii, and sororcula 2
920 *Helix horizontalis*, very rare, and parmula
921 Helix Moricandi, columbaria, scrobiculata 2, and 9 other Philippine species, in all 20 shells
922 Helix atrofusca, schumacheriana, connivens 2, conicoides 2, mandarina, ravida 2, Cecillei, mercatoria 2, chinensis, oculus 2, and trichotropis
923 Helix elegantissima, succincta, Mackinlayi, helinger and dohrniana
924 *Helix Roberti and japonica*, both rare
925 Helix, tray of small species, from Camboja, and Formosa, 9 trays
926 Helix peliomphala and Maackii, very rare
927 Helix Middendorfi, ligulata, Noulieti, argillacea, and naninoides 2
928 Helix, tray of small species, from Ternate, Bengal and Ceylon, in all 16 trays

929 Helix zonulata, salléana, bicincta, bufoniana, Humboldtiana, semicastanea, and 3 species from Mexico

930 Helix spiralis 2, labiata, and 14 other species from India

931 Helix Lowei, subplicata 2, erubescens, and 70 species from Madeira and Teneriffe

932 Helix informis, bipartita, Frazeri, Bloomfieldii, Edwardsii, Barnesii and Coxi

933 Helix Bougainvillei, informis, bipartita and pachystyla, all fine

934 Helix Croftoni, cerata, appendiculata, Rainbirdi, muhlfeldtiana and Richmondiana

935 Helix majuscula, launcestonensis, gratiosa, Hombroni, dupuyana, Grayi, Incii, and 1 other

936 Helix Oconelli, Whartoni, Julei, coriaria, corneovirens, Lessoni 2, Macleayi 2, Forsteriana 2, troilus 2, motacilla, Eddystonensis, and 1 other

937 Helix migratoria, xanthocheila, plagiostoma, acmella, platystyla, meta, deidamia, poiretiana, Macgillivrayi and Bidwelli

938 Helix Louisiadensis, Boivinii, flexilabris, Hargravesii, phthisica, Lienardi, Ambrosia, gamelia, mendana, guadalcanensis, compluviatus, tricolor and variety

939 Helix Lombii, Hunteri, lactiflua, fringilla, meleagris, Merziana, aphrodite, fringilla variety, Sellersi, eros 2, sophia, Cleryi, and cineracea 2

940 Helix antrorsa, pyxis, helicinoides, dunniæ, Greenwoodi, and cælatura 2

941 Helix rosarium, napensis, platyodon, pruinosa and multifasciata, all very rare

942 Helix dominicensis, crispata, dilatata, monodonta, and loxodon 2

943 Helix angustata, trochiformis, phiedra, Bourcieri, formosa, memoralina, vortex, notabilis and gallapavonis

944 *Helix colossea, sarcinosa and carolus*

945 *Helix turbinoides*, very fine

946 Helix turgens, carolus and mindanensis

947 Helix, 4 beautiful varieties of pulcherrima

948 Helix pan, lignaria 2, solida, sphærion, decipiens, and speciosa 4

949 Helix, 4 beautiful varieties of pulcherrima

950 Helix festiva 2, pan, matruelis 2, cromyodes 2, and lalloensis

951 Helix Cumingii, carbonaria 2, roissyana 2, and zonifera

952 Helix festiva 2, zonifera 2, sphærion variety, and roissyana 2

953 *Helix Norrisii and chrysocheila*

954 *Helix Harfordii*, very fine

955 *Helix hainanensis, dattaensis and Dalmayoi*

956 Helix mindanensis, ajax 2, pollilensis, dimera 2, melanocheila, hector, bruguieriana, mirabilis 3, and fulgens 3

957 *Helix latitans and cryptica*, both fine

958 *Helix bembicodes and turbo*, both fine and rare

959 Helix ignobilis 2, monticula 2, collodes 2, paradoxa, and 16 other Philippine species, in all 27 shells

960 *Helix psittacina and leucothalma*, both rare

961 Helix Valenciennesii 2, Broderippii 2, nympha, extensa, dubiosa 2, virgo, obliquata, najas and nicans, all fine

962 *Helix Elizabethæ and reginæ*, both fine and rare

963 *Helix lituus and grata*, both rare and fine

964 Helix vitrea, thersites, lanceolata, zebuensis and variety, siquijorensis, semigranosa and cidaris

965 Helix zeus, porphyria, semiglobosa 2, panayensis, cuvieriana, Mulleri 2, stolephora 2, Crossei, bistrialis and ceylanica

966 Helix Juliana, Souleytiana, Chenui, semidecussata, Donovani, Neptuni and pernobilis

967 *Helix Clairvillicæ, nobilis and distincta*, all rare and fine

968 Helix Lamarkiana 2, Humphreysiana 2, Oweniana, xanthotricha, uranus, caducior and borneensis, large
969 Helix Sowerbyana, bulla, and sagittifera 2
970 Helix maxima and ovum, both very large
971 Helix maxima, rhea, ovum, and 2 varieties of Humphreysiana
972 Helix citrina, 10 varieties
973 Ditto ditto
974 Ditto ditto
975 Helix, 6 rare species from Java, allied to citrina
976 Helix luctuosa, and aulica 2, very fine
977 Helix aulica variety, luctuosa and 1 species?
978 Helix rariguttata, vitellus, monozonalis 3, and fulvizonia
979 Helix limbifera 2, vitellus, rareguttata and 1 species
980 *Helix cambodjensis*, a fine shell
981 Helix Brookei, ditto
982 *Helix nasuta*, very rare
983 *Helix batanica*, ditto
984 *Helix pileosus*, ditto
985 *Helix cambodjensis*
986 *Helix Rumphii and retrorsa*, rare
987 Helix janus, trifasciata 2, intumescens, ammonia 2, hugonis 2, Fortunei 2, regalis, and plectostoma 2
988 Helix laidlayana, christinæ and Rumphii
989 Helix thyreus, trifasciata variety, quæsita 2, cicatricosa 3, and 2 fine varieties of pileus
990 Helix pileus, 5 varieties
991 Helix gärtneriana, Schrammii, nemorensis, and inquinata 2, all rare
992 *Helix Lennepiana*, Pfr., type specimen
993 Helix javanica 2, circumpicta, trochus and sulphurea, all rare
994 Helix trochus, sparsa 2, Steursii and mera
995 Helix sparsa 2, bataviana, Zollingeri, and argillacea 2
996 Helix Waandersiana and Skinneri

997 Helix Waltoni 2, phœnix 4, hæmastoma, Grevillei and superba

998 *Helix manilla and papilla*, both rare

999 *Helix Quoyi and monochroa*, ditto

1000 Bulimus labiosus 2, candidus 2, labrosus 2, Hauleyi, rufoniger, and 10 other species

1001 Bulimus auris-sileni, cathcartiæ, violaceus, linostoma, spadiceus, and Bourcieri 2

1002 Bulimus sinistrorsa 2, digitalis 2, undulatus, vexillum, tigris, turritus, pustulosus and sylheticus, all rare

1003 Bulimus felix, fucatus, geometricus, spectatus 2, fusoides 2, and Sachsi 2

1004 Bulimus moritzianus, cantagellanus, Bronnii and granulosus

1005 Bulimus Valenciennesii, popelairianus, Santacruzii, and 2 others

1006 Bulimus ovatus 2, moritzianus, oblongus 2, and Thompsoni variety

1007 Bulimus electricus, inca, calista, pictor, ventricosus, and 5 others

1008 *Bulimus Winteri, palaceus* 3 varieties, *chloris* 2, contrarius 2, and sinistralis 3, all from Java

1009 Bulimus maculiferus 2, lævis 2, furcillatus 2, perversus 4 varieties, inversus, anamiticus, comes 2 varieties, melanomma 2 varieties

1010 Bulimus egregius, multicolor, Miersi, perdix, correctus, Cleryi and Hargravesii

1011 Bulimus grayanus, odontostomus, dentatus 2, rhodinostomus 2, dœdaleus 2, auris-leporus 3, exesus 2, Knorrii, Denickii, nystianus 2, and Bengalensis 3

1012 Bulimus popelairianus, Valenciennessi, ovatus, moritzianus, oblongus, with egg; Bronnii, granulosus, capillaceus 2, and moritzianus variety 2

1013 Bulimus *porcellanus. batavicæ*, sinistralis 3, lævis 3, and contrarius 2, all from Java

1014 Bulimus maculiferus 2 varieties, furcillatus 2, perversus 4 varieties, and inversus

1015 Bulimus magnificus, pardalis, kantavuensis, Seemanni, goniostomus and fusiformis

1016 Bulimus lateralis, navicula, fallax, auris-leporis 3, and auris-muris 2

1017 Bulimus glaucostoma, auris-ratti, alto-peruvianus, Lobbii, hygrophyleus, Farrasii 2, vespertina, rubro-variegatus 2, Williamsi and Landaueri, a fine lot

1018 Bulimus Lattrei, Farrasii variety, Vincentinus, multi-fasciatus, Mexicanus, Humboldtii 2, Broderippii, coquimbensis, elegans, reflexus, Buschii 2, coturnix, and pseudo-succinea 2

1019 Bulimus *Fungairinoi, Adamsoni and Kellettii*

1020 Bulimus Souvillei, fibratus 2, submariæ, Caledonicus, and Maconellii 2 varieties

1021 Bulimus Farnalei, Bavayi, Bairdii and Alexander

1022 Bulimus Hartwegii, Thompsoni, Taunaysii, malleatus, brephoides, floccosus and piperatus

1023 Bulimus atomatus, miltocheilus, Seemanni, fulguratus 2, Cleryi, magnificus, Hargravesii, Founaki, morosus and kantavuensis

1024 Bulimus *melanocheilus*, Funckii, pardalis & marmoratus

1025 Bulimus succinctus, quadricolor, pulicarius, dux, rosaceus 2, crenulatus, pachycheilus and lutescens

1026 *Bulimus unidentatus, plectostylus, Lovenii and cardinalis*

1027 Bulimus castaneus, fulminans 2, ameida 3, coloratus 2, Milleri 2, and pantagruelinus 2

1028 Bulimus *Wallisianus and Grevillei*

1029 Bulimus irroratus 2, Blainvilleanus 2, and planidens 2, all fine

1030 Bulimus Taylorianus, tricolor, latilabris, bilabiatus 2, melanostomus 2, illheocola 2, and sectilabris 2

1031 Bulimus pantagruelinus 2, distortus 2, euryomphalus, sinuatus and glaber

1032 Bulimus cicatricosus, porphyrostomus, insignis, Guestieri, Edwardsianus, Scottii, Sellersii, ouveanus, Strangei, fulgineus and cicatricosus

1033 Bulimus Macgillivrayi, bivaricosus, scarabus, and Stuchburyi (2 varieties) 4

1034 Pseudachatina Wrighti and Downesii

1035 Achatina *ustulata, siderata, cyaneus and semisculpta*

1036 Achatina vestita, semisculpta, fulgurata, carinata, and 4 other species

1037 Perideris flammigera, interstincta, mucida, and alabaster 2

1038 Perideris auripigmentum 2, Reeveana, æquatoria and moreletiana

1039 Pseudachatina Downesii and Wrightii, both large and fine

1040 Pseudachatina *gabonensis and nov. species*, both fine

1041 *Bulimus Dennisoni*, very fine

1042 Orthalicus Boucardi, phlogerus, gallina-sultana and others, all fine

1043 Orthalicus *Pfeifferi and atramentarius*, both fine

1044 Orthalicus *melanostoma and reginæ*, both very fine

1045 Orthalicus *atramentarius and reginæ*

1046 *Bulimus Dennisoni*, fine variety

1047 Limicolaria candidus, rare; aurora 2, rupelliana, flamnea 2, and numidica 2

1048 Limicolaria Adansoni, Africana, rubicunda, turbinata, spectabilis, numidica and 1 other

1049 Achatina Blainiana, and several varieties of A. fasciata

1050 *Anastoma ringens*, large and fine

1051 Anastoma verreauxianum, globulosum 2, Tomigerus clausus, turbinatus and Hypselostoma tubiferum

1052 Helix auridens, horrida, erinacea, collaris 2, Reyrei 2, Ortoni, heligmoidea and charpentieri

1053 Helix laomontana, stenogyra, polygyrata 2, Crepignyi, euryomphala and flora

1054 Helix Boydei, bolina, vancouverensis 2, zonites, caduca, capillacea, Sinclairi, and lampra 2

1055 Helix luhuana, tenella, Menkeana, bilineata, Campbellii, and 10 other species

1056 Helix leiophis, Humberti, erronea 2, Rivollii, and refuga 2

1057 Helix zenobia, bitæniata, and 10 other species from Australia

1058 Helix promatia, *varieties scalariformis and sinistralis*

1059 *Bulimus imperator and nobilis*, both rare and fine

1060 Bulimus *bicoloratus and dactylus*, both rare and fine

1061 Bulimus subcarinatus 2, leucophæus, pyramidalis and cincinniformis

1062 Bulimus gibbonius and Kraussii, both fine

1063 *Bulimus Adamsoni*, a glorious shell

1064 *Bulimus Yatesii and fungairinoi*

1065 *Bulimus Buckleyi and Peelei*, both fine

1066 *Bulimus Dombeyanus*, very rare and expansus

1067 *Bulimus fungairinoi and Frazeri*

1068 *Bulimus victor and Deburghiæ*

1069 *Bulimus Kellettii and saturnus*

1070 *Bulimus Yatesii and saturnus*

1071 *Bulimus ampullaroides*, rare and fine

1072 *Bulimus crystallinus*, very rare; Maconelli, very fine, and auris-vulpina

1073 Bulimus brachyodon, and 2 varieties of B. aratus

1074 Bulimus Alexander, Souvillei, mariæ and pseudo-caledonicus

1075 Bulimus leucotrema, Swainsoni, bilabiatus variety 2, and struthiolaris

1076 Ennea ovoidea, Nevillei, Planti and 9 others

1077 Streptaxis nobilis, Dunkeri, candida, Soulyetiana and 7 others

1078 Gibbus lyonnetianus, pagodus, sulcatus, and 12 named species

1079 Stenogyra obeliscus 2, calcareus 2, maxima 2, sylvatica 2, and 14 others, named

1080 Gibbus lyonnetianus, pagodus and 13 others

1081 Achatina Layardi, granulata, sinistrorsa, purpurea, fulica, variegata, and zebra 2

1082 Achatina varicosa, rhodostoma, Lamarkiana and purpurea

1083 Achatina sinistrorsa, marginata, fulica, purpurea and Lamarkiana

1084 Achatina balteata, reticulata, dohrniana and pantherina

1085 Achatina Welwitchi, and tincta 2, all fine

1086 Achatina indotata, fulva and Petersi, all fine

1087 Glandina leucozonias, Lattrei, glabra, obtusa olcacea, venusta, Philippiana and Griffithsii

1088 *Glandina coronata, Sowerbyana and plicatula,* all fine

1089 Spiraxis Nicoleti, Shutterworthi, Carelia obeliscus, cochlea and bicolor

1090 Columna flammea, Carelia turricula, rubra, fuliginea, and 2 species

1091 Bulimus Dufresnyi, Favannii, Tupacei, Largillierti and 10 others

1092 Bulimus, tray of species from Brazil, Chili and West Indies

1093 Helix, tray of European species

1094 Glandina striata, truncata, rosea, d'Audebarti, dilatata, and monilifera 2

1095 *Rhodia gigantea,* large and fine

1096 Spiraxis Cumingiana and Columna flammea

1097 Glandina carminensis, saccata, fuseformis, monilifera, and 10 others, named

1098 Helix, tray of American species

1099 Bulimus, tray of species from Equador

1100 Bulimus, tray of species from Peru and Bolivia

1101 Bulimus, tray of species from New Granada

1102 Helix sarcocheila, excellens and carocolla, all large

1103 Helix transitoria, and other species from Cuba

1104 Cyclophorus Mexicanus, Crosseanus, foliaceus, turbo and others

1105 Cyclostoma vittatum, bicarinatum, cuvierianum, naticoides and carinatum

1106 Cyclotus planorbulus, Pevezii, Pazii, Dysoni, scalaris and others

1107 *Myxostoma breve and Rhiostoma Housei*

1108 Cyclotus incomptus, discoideus, bogotensis 2, taivanus and 4 others

1109 Pterocyclos anguliferus, Cumingii, Wilsoni, Albersi, tenuilabiatus and 4 others

1110 Opisthoporus Charbonieri, birostris, bicillatus and 3 others, named

1111 Cyclotus quitensis, inca, deburghiæ, Dysoni, and 4 other species, named

1112 Palaina, Diplommatina, Paxillus and other rare genera, 10 trays

1113 Alycæus, Plectostoma, Craspedopoma, Aulopoma, Moussonia, Tonichia and Geomelania, in all 14 trays

1114 *Hybocistis Mouhoti and gravida*

1115 Achatina panthera, Petersi, acuta 2, Kraussii, prunum 2, and tincta variety 2

1116 Cyclostoma occlusum, cuvierianum, carinatum, albicans and macaræ

1117 *Euptychia metableta*, Crosse Journal de Conch , 1874

1118 *Buckleya Martinezi* and Higgins, very rare

1119 Cyclostoma Moulinsii, occlusum, Listeri 2, Philippianum 2, unifasciatum 2, and others, named

1120 Cyclostoma pulchellum, xanthocheilus, articulatum 2, bicarinatum and Madagascariense

1121 Cyclostoma campanulatum 2, unicarinatum 2, and 1 nov. species

1122 Cyclostoma cariniferum, obsoletum 2, multifasciatum and bicarinatum

1123 *Cyclostoma formosum and campanulatum*

1124 *Cyclostoma Belairi and suffusum*

1125 Cyclostoma Barclayanum 2, sulcatum 4, unicolor 2, asperum, castum, Michandi, microchasma, Isabella and ictericum

1126 Cyclostoma vexillum 2, filostriatum 2, balteatum 2, citrinum and consanguineum

1127 *Cyclostoma aplustre and coquandianum*, both very rare

1128 *Cyclophorus eximius, excellens*, semisulcatus, and oculus-capri 2

1129 Cyclophorus siamensis, nobilis, speciosus and Pearsoni

1130 Leptopoma acutimarginatum, Dohrnii, and 17 others, named

1131 Megalomastoma simulacrum, complanatum, and 10 others, named

1132 Cyclophorus Montrouzieri, Cumingii, and 15 others, named

1133 Megalomastoma ventricosum and 12 others

1134 Chondropoma solidula, latilabre, pudicum, and 17 other named species

1135 Chondropoma and Cistula, 35 named species

1136 Tudora, Leonia and Pomatias, 20 named species

1137 Omphalotropis, 23 named species

1138 Choanopoma hystrix, echinus, Pretrei, and 20 others, named

1139 Choanopoma majusculum and others

1140 Pupina, Callia and Registoma, 22 species

1141 Cataulus recurvatus, hæmastoma, and 7 others, named

1142 Cyclophorus aurantiacus, saturnus, tuba, aquilus borneensis and volvulus

1143 Cyclophorus, tray of species from the Philippines

1144 Cyclophorus, tray of species from Mexico, &c.

1145 *Terebratula lenticularis*, large and perfect

1146 *Terebratula cruentata*, ditto

1147 *Terebratula picta*, wonderfully fine and perfect

1148 Terebratula globosa, floridana 2, canium 2, septemtrionalis 2, and Kraussia Lamarkii

1149 Terebratula magellanica, caurina, chilensis 2, japonica, and caput-serpentis 2

1150 Terebratula Grayi, cubensis, flexuosa, angustata, inconspicua 2, and rubra 2

1151 Terebratula cruenta, flavescens, truncata 5, sanguinea 3, and Rhynconella psittacea

1152 Terebratula picta, flavescens, rubicunda 2, Magas Cumingii, rosea, Morrisia Davidsoni, Argiope decollata and Neopolitana

1153 Lingula Murphyana, hians 2, Orbicula ostreoides 4, and lamellosa

1154 Crania Suessii, anamola, rostrata, Orbicula lævis, Lingula hians, anatina and ovalis

1155 Vulsella lingulata 2, rudis 2, rugosa 3, lingua-felis and others

1156 Ostrea linter, rhizophora, mytiloides, discoidea, sandwichensis and others

1157 Ostrea rostrata rufa, subtrigonia, pes-tigris and others, and a group of Vulsella spongiarum

1158 Astarte borealis, lactea, sulcata 2, undata, crebrecostata and others, and Gouldia Pacifica

1159 Crassatella antillarum, Cumingii, decipiens and corbuloides

1160 Crassatella rostrata, gibbosa, sulcata and radiata

1161 *Corbis Sowerbyi* variety, or *elegans*. Desh., fine

1162 Ungulina, Diplodonta, Felania, Pythina, Cymium, Lepton and Kellia

1163 Chironia, Ungulina, Solemya 2 species, and 6 species of Scintella

1164 Galeomma formosa, Mauritiana, Turtoni, and 4 species of Scintella

1165 Corbis fimbriata 2, Loripes edentula 2, spuria and tumida

1166 Lucina Voorhovii, Desh., type specimen, figured Journal de Conch., 1857, pl. 11. This is the only complete specimen known of the species, of which there is a single valve in Hamburgh, described by Dunker as *L. mirabilis*

1167 *Miltha Childreni*, fine and rare

1168 Loripes Philippinarum, Phillipiana, and 10 species of Lucina

1169 Cardium humanum, inversum 2, and cardissa 3

1170 Cardium Quichardi 2, and humanum 2

1171 *Cardita Cuvieri*, very large and fine

1172 Cardita antiquata, Sowerbyi, incrassata, and 3 other species

1173 Cardita Preissii 2, ajar 2, sulcata 2, laticostata 2, and 4 others

1174 Cardita pectunculus, affinis, radiata, and 5 others

1175 Crassatella castanea, kingicola and pulchra

1176 Crassatella obesa, foveolata, lævis, divaricata, undata, nana 2, and subradiata

1177 Corbis fimbriata, very large and fine

1178 *Lucina dentifera*, fine and rare; eburnea, squamosa, columbella, venusta, aurantia and cœlata, all good shells

1179 Adacna trigonoides, caspium, Didacna Australiensis, and donaciformis 2

1180 *Cardium virgo*, very rare and fine

1181 Cardium biangulatum, graniferum, arcuatulum 2, ovuloides, fornicatum, stellatum and nivale

1182 Isocardia cor, Lamarkii, and vulgaris 2

1183 Cardilia semisulcata (2 odd valves), Cardium dulce, pulchrum 2, and others

1184 Cardium cardissa, 6 fine varieties

1185 Cardium (Papyrideum) muticum, papyraceum, rugatum 5, fine bullatum and latum

1186 Lucina barbata, virginea, jamaicensis and others

1187 *Crassatella antillarum*, very large and fine

1188 Cardita gubernaculum and crassicostata, both fine

1189 Pecten crassicostatus 2 varieties, sanguineus and lætus, all fine

1190 *Pecten lividus and lætus*, both rare

1191 *Pecten pesanatis and lividus*

1192 Pecten squamosus 3, gemmulatus, serratus 4, cruentatus 2, squamatus 4, and tegula

1193 *Pecten corallinoides*, very large and fine

1194 Pecten crassicostatus, 2 fine varieties; sanguineus, Australis and Layardi

1195 Pecten Layardi 2, Australis 2, varius 4, ustulatus, cruentatus and corallinoides, all fine

1196 *Pecten corallinoides*, varius, 5 varieties; niveus 2, sulphureus, squamosus 2, and serratus 3, irregularis 3, lemniscatus 4, and 1 other

1197 Pecten madreporarum, and 5 others

1198 Pecten japonicus 2, Balloti, pleuronectes 2, and magellanicus, fine

1199 *Pecten solaris*, a beautiful specimen, rare

1200 *Pecten mollitus, patagonicus*, Balloti, and 2 very large japonicus

1201 Pecten obliteratus 2, sinensis 2, maximus 2, zigzac 2, and laqueatus

1202 Pecten filosus 2, maximus 2, zigzac 2, ventricosus, fine, and purpurascens

1203 *Pecten sulcicostatus*, a rare beauty

1204 Pecten novæ-zelandiæ, dentatus, modestus and fumatus

1205 Pecten bifrons, æquisulcatus 2, Kuhnholtzi, tranquebaricus 2, circularis 2, nucleus 2, and muscosus

1206 Pecten tunicatus 2, exasperatus 2, picus, lineolatus, inæqualis 2, asper 2, and pyxidatus 2

1207 Pecten ventricosus, gibbus, leucophæus, singaporinus 2, and fine *P. spectrum*

1208 Pecten nodosus and purpuratus, both very fine

1209 *Pecten magellanicus*, very large

1210 *Pecten caurinus*, large and fine

1211 *Pecten subnodosus*, ditto

1212 Pecten pallium, 2 very fine varieties

1213 Pecten nodosus, 2 ditto

1214 *Pecten solaris*, a beauty

1215 *Pecten sulciccstatus*, fine and rare

1216 Pecten zigzac, maximus, jacobeus 2, prunum and æquisulcata

1217 *Pecten bifrons*, very fine

1218 Pecten gibbus, ventricosus, radula 2, irradians 2, pallium 4, and islandicus 2

1219 Pecten nodosus, 2 very fine varieties

1220 Pecten pallium, a fine variety

1221 Pecten islandicus 3 fine varieties, pallium 2 varieties, irradians 2, and opercularis 6

1222 Pecten Fabricii, lineatus, and 3 varieties of asperrimus

1223 Pecten senatorius 4, asperrimus 4, danicus 2, unicolor 2, sulcatus 2, inflexus, Philippii, plica 2, clavatus 2, subplicatus 2, flabelloides 2, vexillum 2, proteus 3, and glaber 3

1224 *Pecten gloriosus*, excessively fine

1225 Pecten flexuosus 4, undulatus 4, plica 2, subplicatus 2, *cuneatus, nasans and larvatus*

1226 *Hinnites giganteus*, large and fine

1227 *Pedum spondyloideum*, 2 large varieties

1228 Hinnites sinucsus and Pedum spondyloideum

1229 Lima excavata and scabra, both fine

1230 Lima squamosa 2, tenera, scabra, hians, multicostata, japonica, ventricosa, fragilis and angulata

1231 Pecten pes-felis, 2 fine varieties, & 2 very fine hastatus

1232 Pecten tigris 3, lentiginosus, senatorius 2, asperrimus 2, distans, splendidulus 2, cristularis, & subrufus 2

1233 Pecten Bruei, tinctus, altus 2, teste 4, limatula 2, pecillus 2, antillarum and Bernardi

1234 Pecten luculentus, formosus, pusio 2, Dieffenbachii, tigrinus 2, hyalinus, and flagellatus 3

1235 *Pecten mirificus and histrionicus*, both fine

1236 *Pecten spectabilis and noduliferus*, both fine

1237 *Pecten imbricatus and rastellum*

1238 CARINARIA VITREA, very fine and perfect

1239 Spondylus gilvus 2, and longispina, fine

1240 Spondylus varians, large

1241 SPONDYLUS REGIUS, a magnificent specimen

1242 Spondylus rubicundus, very large and fine

1243 Spondylus radula, ditto

1244 Spondylus Americanus, ditto

1245 Ditto, a fine variety, with long spines

1246 Ditto, 2 large varieties

1247 Ditto, variety longispina, fine

1248 SPONDYLUS CUMINGII, very fine and rare

1249 *Spondylus albibarbatus*, a beauty

1250 Spondylus ciliatus, barbatus, rostratus and concavus

1251 Spondylus gæderopus, albus, longitudinalis, and candidus 2

1252 Spondylus virgineus, and a fine variety of gæderopus

1253 Spundylus asperrimus and candidus, both large and fine

1254 Spondylus multimuricatus 2, microlepas 2, and gæderopus variety 2

1255 Spondylus vexillum, radians, gilvus, and 3 other species

1256 Spondylus gæderopus, a group, and aurantius

1257 Spondylus aurantius and aculeatus, both very fine

1258 *Spondylus hystrix and foliaceus*, both fine

1259 *Spondylus Butleri and foliaceus*, both fine

1260 Spondylus foliaceus and crassisquama
1261 *Spondylus ictericus*, fine, and aurantius
1262 Spondylus aurantius and foliaceus
1263 Spondylus aculeatus, and imperialis 2
1264 Spondylus variegatus 3, ducalis 3, and sinensis 3
1265 *Spondylus princeps and croceus*, 2 splendid shells
1266 Spondylus coccinea and gæderopus, both large and fine
1267 Spondylus erinaceus 2, concavus, ciliatus, & electrina 2
1268 Spondylus lingua-felis, large and fine
1269 Spondylus castus and ustulatus
1270 Spondylus mux and plurispinosus, 2 beauties
1271 Spondylus obliquus and Layardi
1272 Spondylus croceus 2, and unicolor
1273 Spondylus zonalis, and tenuispinosus 3
1274 Spondylus coccineus, 2 and nicobaricus
1275 Spondylus nudus, Pacificus, and tenuicostatus 2
1276 Spondylus princeps, foliaceus, ducalis and variegatus
1277 Spondylus spectrum, multisetosus, unicolor, arachnoides and straiato-spinosus
1278 Spondylus calcifer, or pictorum, a beauty
1279 Spondylus basilicus, very fine
1280 Spondylus avicularis, fine
1281 *Spondylus Victoriæ* (= *Wrightianus, Crosse*)
1282 Spondylus calcifer, or pictorum, fine
1283 Spondylus zonalis, large and fine
1284 *Spondylus Americanus*, a beauty
1285 Spondylus ramosus and ocellatus, both remarkably fine
1286 *Spondylus digitatus*, a beauty
1287 Spondylus setiger and pictorum
1288 Mactra (Mulinia) discors, exalbida, Murchisoni, byronensis, edulis and typica
1289 Lutraria Australis, oblonga, Philippinarum, dissimilis 2, rhynchæna, elliptica, capensis, arcuata, curta and 2 others, all fine

1290 *Lutraria complanata*, rare

1291 *Zenatia Cumingiana*, rare

1292 *Panopea Aldrovandi*, very large and fine

1293 *Panopea norvegica*, very fine

1294 *Panopea Middendorfi*, very rare

1295 *Panopea Spengleri and Saxicava Angasii*

1296 Platyodon cancellatus, Glycimeris siliqua, Saxicava 4 species, and several species of Mya

1297 *Anatina globulosa*, very rare and fine

1298 Plicatula imbricata 2, deltoidea 2, depressa 2, and cristata 4

1299 Plicatula Australis, fine; muricata, simplex, Philippinarum, ramosa 2, and deltoidea 2

1300 Mactra rugifera 2, maculata 2, Rangia cyrenoides, and parvum 2

1301 Mactra tumida, solidissima 2, Sayi, ovalis, complanata, meretriciformis 2, achatina 2, velata and lævis

1302 Mactra striatella and exoleta, both large and fine

1303 Mactra carinata, glabrata, aspersa and 7 others

1303* Mactra Spengleri, rugosa, Nuttallii and Californica, all fine

1304 *Mactra plicataria*, very large and fine

1305 *Mactra elegans*, a fine and rare shell

1306 Mactra canaliculata, pellucida 2, vitrea and papyracea

1307 Mactra plicataria and canaliculata, both fine

1308 Mactra capillacea, ægyptica, nasuta 2, planulata and Ræta rostralis

1309 Mactra (Oxyperas) triangularis, a fine shell of great rarity

1310 Heterocardia gibbosula, rare; Cæcella Cumingii and 3 others

1311 Anatinella Sibbaldii, a very rare genus

1312 Donax, various named species, about 60 specimens in all

1313 Capsa altior, Braziliensis, lævigata, Scrobicularia piperata 2, Cottardi, and nitidula 3

1314 Ervilia purpurea 4, nitens 4, Davila crassula, lævigata, and 8 species of Donacilla and Paphia

1315 Mesodesma novæ zelandiæ, donacia, arctata, lanceolata, mactroides, transversa, elongata, glabrata, intermedia, heterodon and trigona

1316 Amphidesma solida, scabra 2, elliptica and flavescens

1317 *Amphidesma venusta and duplicata*, both large and fine

1318 *Amphidesma Gruneri, sinensis and lævis*, all very rare

1319 Amphidesma cordiformis, Jayana, lenticularis, consentrica, bourbonica, pulchra and subtruncata, all rare

1320 Syndosmya 6 species, Oedalia subdiaphana, Angelus modesta, Thyella lamellosa, and 3 species of Cumingia

1321 Tellina magna, chloroleuca 2, and lævigata, all very fine

1322 Tellina purpurascens, sol, alternata and 2 others

1323 Tellina coccinea, ovalis 2, planissima and others, in all 22 shells

1324 Tellina Madgascariensis, magna, Sowerbyi 2, and 13 others, all named

1325 Tellina truncata, candida, triangularis, rufa and 10 others, named

1326 Tellina senegalensis, splendida, sincera and 10 others, named

1327 *Tellina pulcherrina, and a fine new species*

1328 Tellidora Burnetti, chrystallina, Fragilia fragilis, Lucinopsis undata, and 10 species of Tellina

1329 Tellina foliacea, unimaculata, tongana, egregia and others, in all 22 shells

1330 Tellina Sieboldii 2, tongana, perna 3, elegans, and radiata 2, all fine shells

1331 Tellina lata and elegans, both very fine

1332 Tellina Braziliana 2, lata and tongona

1333 Tellina lacunosa, angulata, plicata, ephippium and spectabilis, all very fine

1334 Tellina plicata, lacunosa, angulata, venusta, bodogensis, and nitida 2

1335 Tellina fausta, discus, striatula, and 4

1336 Tellina secta and fausta, both very large; decussata 2, and inornata 2

1337 Tellina pristis 2, indentata, Listeri, planata, crassa and margaritana

1338 Tellina galathea, capsoides, gargadia 2, scobinata, fine, and 8 others

1339 Psammobia elegans, squamosa 2, rugulosa 2, and 4 others

1340 Psammobia occidens and Asaphis rugosa, both very large and fine

1341 Psammobia maxima, occidens, Lessoni, pulchella, and some varieties of Asaphis

1342 Psammobia solida, togata, tripartita, corrugata 2, cœrulescens 2, and vespertina 2

1343 Psammobia compta, ornata 2, marmorea 2, grata, Stangeri, tellinella, feroensis 2, and vespertina

1344 Elizia orbiculata, Sanguinolaria tellinoides, vitrea 2, solida, sanguinolenta and fusca

1345 Soletellina, Psammotella 6 species, and Capsella 3 species, in all 15 fine shells

1346 Psammotella ambigua, and 8 species of Soletellina, 11 shells in all

1347 *Mactra Cumingii, violacea and Australis*, all large and fine

1348 Mactra violacea, hians and others, in all 9 fine shells

1349 Mactra violacea, triangula, Lamarkii, radiolata, lurida, pulchra, dissimilis and veneriformis, mostly rare species

1350 Mactra sauliæ, fragilis and other Mactræ, in all 22 shells, some rare

1351 Venus monilifera, Chemnitzii, lacerata and rugosa

1352 Venus lamellata, plicata 2, paphia 2, Isabellina 4, Yatesii, Nutallii 2, and amathusia 2

1353 Venus gnidia 2, Dombei 2, verrucosa 2, and others

1354 Venus tiara 2, alta 2, roborata 2, quadrangularis, fine; subrugosa 2, Beani 2, subimbricata 2, fasciata 4, and compta 2

1355 Venus similima, cor 2, foveolata 2, peruviana, antiquata, fluctifraga and costellata

1356 Venus Jukesii 2, toreuma, affinis 2, marica 4, Lamarkii 2, columbiensis, Californiensis 2, subrostrata 2, cancellata 2, and 6 others

1357 Venus discors 4, grata 2, histrionica 2, and 10 other species

1358 Venus alboradiata, alata, Berryi 2, crassicostata, and fuscolineata 2

1359 Venus costellifera, decorata, squamosa 2, Australis 2, and 10 other species

1360 *Galatea rubicunda*, fine and rare

1361 *Galatea radiata*, large and fine

1362 *Ætheria Lamarkii, plumbea, and a new species*

1363 *Clavagella Phillipianum and balanorum*

1364 *Galatea concamerata*, a splendid specimen

1365 Galatea læta, 2 fine varieties

1366 Galatea læta, Cumingii and Bernardii

1367 Galatea radiata, læta and triangularis

1368 Ætheria Caillaudi, plumbea and nov. species

1369 *Cardita Tankervillii*, canaliculata, ovalis, angisulcata, incrassata, aculeata, lacunosa, phrenetica, trapezia, and 3 others

1370 *Venus magnifica*, very fine and rare

1371 Venus Sowerbyi, crispata, crenulata, reticulata and laqueata, all fine

1372 Venus umbonella 2, and semilamellata 2, all fine

1373 Meroe roetersiana, Crosse, type specimen, described and figured in Journal de Conch., 1874, pl. 3

1374 Pholas costata and Orientalis, both fine

1375 Pholas Californica and chiloensis, both fine

1376 Pholas laqueata, similis 2, manillæ, candida, and 4 other species, all complete

1377 Pholas clausa, bisulcata, concamerata, and 4 others, all complete

1378 Pholos melanura, calva 2, penita, papyracea, striata 2, latissima (1 valve), clausa, spathulata, crucifera, and 4 other species

1379 Triomphalia Cumingii and globosa, both complete

1380 Aspergillum tuberculatum, disjunctum, clavatum and javanum, all fine

1381 *Clavagella aperta*, very fine

1382 Cardita bicolor, crassa, marmorea, gibbosa, nitida, tridentata, phrenetica, gubernaculum, rufescens 2, pica 2, and 6 others

1383 Venus magnifica, crenulata, Listeri, crispata and Sowerbyi

1384 Venus resticulata, multicostata and mercenaria, all large

1385 *Venus lamellata*, very fine

1386 Venus (Dione) vulnerata, rutila, pellucida, semisulcata, and florida 3

1387 Venus (Dione) nobilis, festiva 4, and umbonella 2

1388 Venus (Dione) inflata 2, crocea 2, Kingii 2, subpellucida 2, striata, citrina, and 10 other species

1389 Venus semilamellata, large; rosea 2, multispinosa, and exspinata 2

1390 Venus costata, pulchra, umbonella 2, grata 2, and chinensis

1391 Galatea biangulata, triangularis, bengeonsis and Bernardii

1392 Aspergillum ornatum, pulchrum, javanum and vaginiferum

1393 Clavagella Australis and Strangei, both very rare

1394 *Aspergillum vaginiferum*, a wonderful specimen, with 8 frills

1395 Aspergillum, a fine new species of the form of *Cumingianum*

1396 Aspergillum radix 2, and pulchrum 2, all fine

1397 *Furcella gigantea*, complete, very rare

1398 Fistulana grandis, and Septaria arenaria 2

1399 Teredo nucivora, and Fistulana clava 2

1400 Gastrochæa truncata, Retzii, mytiloides and modiolina

1401 Gastrochæna ovata, gigantea, and 6 species of Tagellus and Novaculina

1402 *Mactra Scheepmakeri*, *exarata*, divaricata 2, Phillipiana, alba, candida, and strigillata 2

1403 Cultellus Orientalis, maximus, Machæra patula, radiata 2, and 4 other species

1404 Corbula, 12 named species

1405 Anatina, 8 named species

1406 Periploma leana and trapezoides, both fine

1407 Anatina, 8 species, all named

1408 Corbula, 12 species, all named

1409 Solen, 20 species, all named

1410 Periploma argentaria, angulifera, a new species, and Cochlodesma pretenuis

1411 Cryptomya Californica and mindorensis, and 10 fine species of Solen

1412 *Entodesma saxicola*, large and fine

1413 Lyonsia, 7 species, named, 10 specimens

1414 *Neæra elegans*, cuspidata, costellata, Theora diaguldiana, nitida, Alicia angustata, and 3 Lyonsia

1415 Myadora, Striata, Brevis, Trigona, and Thracia Australis, and concinna 2

1416 Thracia Conradi and pupescens, large

1417 Thracia corbuloides, plicata, and 4 others, named

1418 Pandora claviculata, nasuta, trilineata, flexuosa, delicatula, obtusa and rostrata

1419 Myochama Strangei, specimens figured in Conch. Icon., and Anomioides on Trigonia

1420 Cleidotherus albidus and Myochama Keppelliana

1421 Anomia nobilis, strigilis, lampe, and 3 others, all very fine

1422 Castalia cordata, retusa and Hanleyana, all large and fine

1423 Leila exotica, trapezialis and Blainvilleana, all fine

1424 Spatha rubens 2, Barbala bialata 3, and delphinus 2

1425 Symphonota alata, and 20 species of Unio

1426 Unio, 20 fine species, named

1427 Ditto ditto

1428 Ditto ditto

1429 *Chama lazarus*, a great beauty

1430 Chama divaricata, aspersa, obliquata, ruderalis, fragum and spinosa

1431 Chama macrophylla 2, yellow variety; cristata, and large group of 10 specimens of a new species, a very fine lot

1432 Crenatula modiolaris, nigrina 2, and viridis

1433 Anomia, 15 species, named

1434 *Mulleria lobata*, large and perfect

1435 *Castalia Lichtensteina* and Duprei, large and fine

1436 Hyria rugosissima and corrugata, both large, and 3 others

1437 Castalia cordata, Hanleyana and ambigua, all fine

1438 *Chama lazarus*, wonderfully fine

1439 Chama macrophylla, a group; cornucopia, janus, Pacifica, fibula, brassica and sulphurea

1440 *Crenatula picta*, very large and fine

1441 Crenatula flammea, viridis, and mytiloides 2

1442 Pinna rudis, squamifera, and 7 others

1443 Tridacna serrifera, and squamosa 2, all large and fine

1444 Tridacna crocea, rudis, compressa and gigas

1445 Placunanomia plenilunum, Zelandica, and 1 valve of Cumingii

1446 *Placunanomia abnormalis, rudis and ione,* all very rare
1447 Mycetopus subsinuatus, rugata and siliquosus
1448 Iridina nilotica, cælestis and exilis
1449 Anodonta javona, angulata, magnifica, gibbosa and grandis
1450 Anodonta anserina 2, leprosa, Cooperiana 2, and 8 others, named
1451 Alasmodonta complanata, costata, and 6 others
1452 Monocondylea paraguayana and Spatha cherziana
1453 Stenogyra cuneus 2, Moreleti, and 4 others, rare and fine
1454 Chama spinosa, gryphina, Jukesii, sarda, florida, appressa and cristella
1455 Chama macrophylla 3, cristella 2, lobata 2, arcinella 2, and pellisphocæ 2, all fine
1456 Cardium Reeveanum, leucostoma, enode, dupuchense, and alternatum 2
1457 Cardium Nuttallii and procerum, both fine
1458 Chama sinuosa 2, ferruginea 2, lazarus 3, Rupellii and foliacea
1459 *Chama frondosa,* a rare beauty
1460 *Chama Pacifica and frondosa,* both large and fine
1461 Cardium angulatum and panamense, both large and fine
1462 Cardium rubicundum 2, dæmoniacus 3, subelongatum 2, impolitum, and subrugosum 2
1463 Cardium assimile 2, consors, rugosum, variegatum 2, and others, in all 21 shells
1464 *Cardium kalamantanum,* very rare
1465 Dione gigantea, lilacina, chione, squalida, grata and others, in all 12 shells
1466 Artemis lirata, subrosea, lineolata, trigona, Adansoni, Orbignyi and Circe intermedia, rare
1467 Yoldia limatula, lepidula, lucida, glacialis, Arctica, sapotilla and myalis

1468 *Chama rubea* and frondosa, both fine

1469 Tridacna squamosa, some fine specimens, and Hippopus maculatus

1470 Cardium incarnatum, exasperatum, rastrum, fimbriatum, islandicum, grænlandicum and Lamarkii

1471 Cardium tenuicostatum, sinense, ringens & Deshayesii, erinaceum 2, tuberculatum 3, aculeatum 2, echinatum 2, and Hippopus maculatus

1472 *Crenatula picta and avicularis*, both fine

1473 Circe undatina, and 20 others

1474 Meroe seminuda, truncata 2, excavata, scripta and picta

1475 Meroe Solandri, hians, aliciæ 2, and 5 species of Circe

1476 Cytherœa crassetelloides, large and fine

1477 Cytherœa petechialis, castanea, & Cardium pseudolima and elatum, all large and fine

1478 Cardium hians and costatum, both large and fine

1479 *Andrana gloriosa, Metcalfei, arcuata and elongata*

1480 *Neilo Cumingii and Nucula Loringii*

1481 Chama imbricata, rubea and lazarus variety, all very fine

1482 Chama Pacifica 2, senegalensis, Broderippii 2, and multisquamosa 2

1483 Chama reflexa 2, Carditæformis and coralloides

1484 Cardium Asiaticum 2, multispinosum 2, and ciliare 2

1485 Crenatula flammea, viridis, avicularis, and nigrina 2, all fine

1486 Circe sulcata 6, fumata 2, numulina, and 6 other species

1487 Circe crocea, rugifera, æquivoca 2, divaricata, pectinata and gibbia, all very fine

1488 *Meroe excavata*, very fine

1489 Cytherœa ponderosa, crassatelloides, intermedia, and tripla 2

1490 Cytheræa nubila, radiata 2, damoides, planulata, undulata, bicolor 2, and incerta

1491 Dione purpurata, tortuosa, Cytheræa lusoria, and 9 others

1492 Cytheræa donacina, morphina, lyrata 2, formosa, zonaria and argentea, all fine

1493 *Nucula mirabilis*, very rare

1494 Leda and Nucula, 16 named species

1495 Ditto ditto

1496 Cardium lima, oxygonum, mauritianum, belticum, striatulum, and 5 others, named

1497 Cardium (Lævicardium), 7 species

1498 *Cardium pectinatum*, a rare beauty

1499 Cardium multipunctatum 2, attenuatum, serratum, Pennanti, vitellinum, lyratum and norvegicum

1501 Dione aurantiacum, erycina, giganteum & maculatum, all large

1502 Circe and Artemis, 14 named species, 26 shells

1503 Ditto ditto

1504 Cardium hians and costatum, both large and fine

1505 Cardium isocardia 2, elongatum 2, and ventricosum 2

1506 YOLDIA AMYGDALA, large and fine

1507 *Yoldia thaciæformis*, large and fine

1508 *Leda patagonica*, very rare

1509 Pectunculus laticostatus, sericatus, parcipictus, roseus and occulatus

1510 Pectunculus assimilis, inæqualis, sericatus, delessertii, aurifluus, pectinatus and multicostatus, a fine lot

1511 Pectunculus multicostatus and others, and Limopsis 3 species

1512 *Murex moncdon*, a rare beauty

1513 Arca contraria, pilula, cornea, pexata, æquilatera and Noetia reversa

1514 Cucullæa granulosa, 2 fine

1515 Pectunculus rubens, scitulus. giganteus, lividus, scriptus, pilosus 2, pennaceus 4, maculatus and violaceus,

1516 Murex florifer, sinensis and monodon

1517 Arca, 21 species

1518 Pectunculus formosus, stellatus and perdix, all rare and fine

1519 Trigonia Lamarkii 2, and pectinata

1520 Murex elongatus, anguliferus variety 2, brevifrons 3, and saxatilis

1521 Arca, 8 species, 13 shells

1522 Pectunculus violaceus, rubens, intermedius, & scriptus 2, very fine

1523 *Prasina bourbonica and Myrina pelagica*, both very rare

1524 Modiolarca trapezia and 1 nov. species, Dreissina and Septifer, 3 species

1525 Murex fenestratus variety, and scorpio variety

1526 *Murex melanomathos*, corrugatus, and Cumingii 2

1527 *Murex trigonulus and spinicostata*

1528 Pectunculus giganteus, glycimeris, siculus and rubens, all large

1529 *Avicula lotorium*, very large and fine

1530 Cucullæa auriculifera, a fine shell

1531 Arca tortuosa and semitorta, both large and fine

1532 Glauconomya, various species

1533 Mytilus, several fine species

1534 Fusus colosseus, longissimus and others

1535 Murex oculatus, Beckii, bifasciatus and Stainforthii

1536 Murex humilis, rare, and 2 varieties of Scorpio

1537 Murex salleanus 2, turbinatus 2, triqueter 2, laciniatus, oculatus and affinis

1538 Arca, 5 rare species, 9 shells

1539 Cyrena, 7 fine species

1540 Pinna incurvata 2, fumata 2, and saccata 3, all large and fine

1541 Cyrena rotundata, violacea, Keraudreni and Childreni, all large and fine

1542 Cyrena eximia, Dunker, type specimen, figured in Pfeiffer's Novitates, vol. 1, pl. 24

1543 *Velorita cyprinoides, recurvata,* Cyrenoidea Dupontii, Cumingii, oblonga, and 1 other

1544 Cyclotus giganteus, Dunkeri, and granulatus 2

1545 Perna ephippium, costellata, fimbriata, isognomon, and 2 others

1546 *Clementia papyracea,* rare and fine

1547 Murex sauliæ, 2 fine specimens

1548 Cyclina Orientalis, flavida, subquadrata, saccata, and 4 others, a fine lot

1549 *Avicula macroptera,* remarkably large and fine

1550 Perna, 5 species, 7 specimens

1551 Malleus albus, vulgaris and several Pinnas

1552 *Fusus nobilis and Meyeri,* both rare

1553 Perna Mailliardi, and 5 others

1554 Cyrena violacea, Childreni, elegans, humerosa, and olivacea 2

1555 Cyrena Buschi, sumatrensis, Ceylonica, papua 2, and Orientalis 2

1556 Cyclas, Corbicula and Cyrena, various species

1557 Artemis, 10 fine and rare species

1558 Tapes, 10 species

1559 Tapes declivis, euglypta, and 3 others

1560 Malleus albus, vulgaris 2, regula 2, dæmoniacus and anatinus

1561 Murex Macgillivrayi, bellus 3, recurvirostris 2, and elegans 2

1562 Murex Cailleti, rectirostris, chrysostoma, brevispina, messorius, motacilla and nigrescens

1563 *Murex clavus*, very fine

1564 Murex pinnatus 2, trialatus 2, and foliatus 2

1565 *Murex gambiensis*, rare and fine

1566 Arca semitorta, tortuosa, and 6 others

1567 Lithodomus, various species

1568 Modiola arborescens, fine and rare; elongata 2, Philippinarum 2, tulipa 3, and barbata

1569 *Mytilus Gruneri and Dunkeri*, both rare and fine

1570 Pinna, tray of large specimens

1571 Pinna bicolor, alta, muricata and atro-purpurea, with byssus

1572 Tray of Cyrena

1573 *Murex clavus*, large and fine

1574 *Murex falcatus*, fine and very rare

1575 Murex acanthopterus, very fine

1576 *Murex bipinnatus, emarginatus and triformis*

1577 Cucullæa concamerata, very fine

1578 Arca and Pectunculus, various species

1579 Lithodomus, various species

1580 Mytilus, ditto

1581 Modiola, ditto

1582 Pinna zebuensis, mutica, regia and others, in all 21 shells

1583 Murex emarginatus, talienwhanensis, Thomasi, varius and pudicus

1584 *Murex rota*, large and fine

1585 Trigonia Lamarkii 2, and 14 species of Arca

1586 Arca grandis 2, maculosa 3, inflata, multicostata and holoserica

1587 Modiola (Crenella) impacta, Cumingiana, nexa, fornicata 2, and 4 other species

1588 Lithodomus, various species in madrepore

1589 Artemis gigantea and discus, both fine

1590 Tapes, various species, some very fine

1591 Fusus coronatus, corona fine, tuba 2, cochlidium and ternatanus, fine

1592 Artemis simplex, angulifera, lamellosa and sculpta

1593 *Murex scorpio*, 3 *very fine specimens*

1594 Murex sirat, calcar Gubbii, and palmiferus, all fine

1595 Pectunculus angulatus 2, castaneus, obliquus, spadiceus, striatularis, and 3 others

1596 *Murex bipinnatus*

1597 *Murex oxycantha*, very large and fine

1598 *Modiola (Starelia) torta*, a splendid shell, and 11 species of Modiola

1599 Mytilus latus, Californicus 2, and 12 other species

1600 Murex scolopax, and tenuispina 2, all very fine

1601 Artemis scalaris, anus 2, prostrata, and Dunkeri 2

1602 Fusus dupetit-thouarsi, closter, oblitus and Beckii, all fine

1603 *Murex palmarosæ*, very fine

1604 Arca lobata, radiata, Deshayesii, antiquata, tuberculosa 2, and Pectunculus subobliquus, lineatus, radians, flammeus, tenuicostatus, obliquus and marmoratus

1605 *Trigonia margaritacea*, very large and fine

1606 Artemis concentrica 2, and japonica 2, all very fine

1607 *Murex crispus*, very rare and fine

1608 Murex triformis, territus, trilineatus, hexagonus, strigatus 2, dubius, cristatus, Blainvilleanus and talienwhanensis

1609 Malleus anatinus, legumen, vulsellatus and decurtatus, all large and fine

1610 Ostrea, large species

1611 Ovicula argentea 3, macroptera, crocea and heteroptera

1612 Avicula macroptera 2, lata and signata, all fine

1613 Avicula ala-perdicis 3, muricata 3, tegulata 2, and ærata

1614 Murex steeriæ, Banksii and endivia, very fine

1615 *Murex spectrum*, very fine and rare

1616 Murex rufus, remarkably fine

1617 *Murex rosarium*, 2 fine specimens

1618 Murex imperialis, pomum, radix, and reguis 2, all fine

1619 Trophon geversianus, Siphonalia Kellettii & Neptunea bulbacea, all large

1620 Fusus dialatatus, arthriticus, lyratus, Zelandicus and ventricosus

1621 Clavella subrostrata, avellana, and 5 species of Pisania

1622 *Neptunea harpa and Norvegica*, both rare

1623 Murex princeps, endivia 2, rubiginosus and nigrita

1624 *Lucina labeo and subaspera*, both rare

1625 Fusus alternatus, cancellatus, afer, inflatus, sinistralis 2, vaginatus, lineatus, and Adamsia typica

1626 *Saxidomus aratus*, large and fine

1627 Cypricardia guinaica, angulata 2, rostrata 2, and vellicata

1628 Petricola nivea, lithophaga, cylindracea, Choristodon lapicida, divaricata, and 4 others

1629 Murex axicornis and aculeatus, both very fine

1630 *Murex Zelandicus*, very fine

1631 *Ostrea megodon* and parasitica

1632 Ostrea crista galli and glomerata, in groups

1633 Ostrea plicata and others

1634 Fuscus nicobaricus, ustulatus and others, a fine lot

1635 *Cypricardia oblonga and coralliophaga*, both very fine

1636 Venerupis insignus, and 6 others, named

1637 *Murex cervicornis*, fine and very rare

1638 *Murex octogonus and aculeatus*, both very fine

1639 Murex axicornis 2, torosus, fiscellum 2, balteatus 2, and luculentus 2

1640 A fine lot of Ostrea

1641 Fusus polygonoides 2, turriculus 2, spectrum, longicauda, marmoratus 2, Pyrula nodosa and others

1642 Avicula papilionacea, formosa, spectrum, iridescens, castanea 2, and tarentina

1643 Avicula margaritifera, very fine, and albina

1644 Murex princeps, steeriæ, and endivia variety, all fine

1645 Trophon, 16 named species

1646 *Neptunea contraria and foruicata*, both fine

1647 Neptunea despecta, glacialis, Zelandica and Humphreysiana

1648 Avicula, and Meleagrina 19

1649 Meleagrina with pearl, and some Monstrosities

1650 Murex torrefactus 2, microphyllus 2, capucinus 2, and regius variety

1651 Murex bicolor and ambiguus, both splendid shells

1652 Fusus pagodus, very fine, a rare shell

1653 Fusus Conei, *Petit*, type specimen, figured Journal de Conch., 1853, pl. 8

1654 *Neptunea Behringii, oregonensis and contrarius*

1655 Avicula tarentina, reticulata, fibrosa and nebulosa, a rare lot

1656 Neptunea ciliata, tenuis, Donovani and others

1657 Murex brassica, regius and bicolor

1658 Murex hippocastrum 2, pseudofaba, angularis, purpura 2, and crassilabris 2

1659 *Trophon laciniatus*, remarkably fine

1660 Clavella serotina and distorta

1661 *Fusus berniciensis*, very rare

1662 *Metula clathrata*, a rare shell

1663 *Typhis Cleryi*, rare, and Sowerbyi

1664 Buccinum, various species

1665 Fusus and Buccinum, a fine lot, and Alcira elegans 3

1666 Cypricardia guinaica and rostrata, both very large and fine

1667 Venerupis and Petricola, various species, some rare

1668 *Murex Lienardi, Crosse*, type specimen, Journal de Conch., 1874, pl. 3

1669 Murex tetragonus, vittatus, alveatus, Kieneri, Crossei and noduliferus

1670 Murex cariniferus, capensis, fine, and secundus

1671 Murex monoceros, unicornis, rubescens, Californicus, uncinnarius 4, and gibbosus 3

1672 Fusus inconstans, toreuma, tuberculatus, distans, marmoratus, variegatus 2, and others

1673 Pyrula bucephala 2, patula and melongena, all fine; Murex salebrosus 2, and purpura 2

1674 Placuna placenta 3 varieties, papyracea and orbicularis

1675 Placuna placenta and orbicularis, 5 shells

Commissions will be received by the Auctioneer.

THE END.